



Dahua Technology Cooper DH-HAC-B1A21N-U cámara de vigilancia Bala (forma) Cámara de seguridad CCTV Interior y exterior 1920 x 1080 Pixeles Techo/pared/Tubo

Marca : Dahua Technology

Familia de productos: Cooper

Código del producto: DH-HAC-B1A21N-U

Nombre del producto : DH-HAC-B1A21N-U

Cámara tipo bala de focal fija IR HDCVI de 2 MP

Dahua Technology Cooper DH-HAC-B1A21N-U cámara de vigilancia Bala (forma) Cámara de seguridad CCTV Interior y exterior 1920 x 1080 Pixeles Techo/pared/Tubo:

La serie Cooper ofrece soluciones HDCVI simples y altamente rentables. Proporciona monitoreo confiable las 24 horas del día, los 7 días de la semana con un rendimiento de imagen de alta calidad, lo que ahorra costos tanto en material como en mano de obra. También está diseñado y construido según los estándares específicos de Dahua.

Dahua Technology Cooper DH-HAC-B1A21N-U. Tipo: Cámara de seguridad CCTV, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared/Tubo, Color del producto: Blanco, Factor de forma: Bala (forma). Ángulo de rotación: 360°, Ángulo de inclinación: 0 - 90°, Rango de paneo: 0 - 360°. Tipo de sensor: CMOS. Distancia de visión nocturna: 30 m, Tipo de LED: IR

Performance		Video	
Type *	CCTV security camera	Frame rate	30 fps
Placement supported *	Indoor & outdoor	Analog signal format system	NTSC
Connectivity technology *	Wired	Noise reduction	✓
Wide Dynamic Range (WDR)	✓	Noise reduction technology	2D noise reduction
Day/night mode	✓	Gain control type	Auto/Manual
Certification	CE-LVD: EN 62368-1; CE-EMC: EN 55032; EN 55035	Back Light Compensation (BLC)	✓
Design		Digital Wide Dynamic Range (DWDR)	✓
Form factor *	Bullet	Audio	
Mounting type *	Ceiling/Wall/Pole	Signal-to-Noise Ratio (SNR)	65 dB
Product colour *	White	Storage	
Housing material	Plastic	Built-in HDD *	✗
International Protection (IP) code	IP67	Ports & interfaces	
Camera		BNC output ports	1
Minimum illumination	0 lx	Security	
Angle of rotation	360°	Mirror	✓
Tilt angle range	0 - 90°	Power	
Pan range	0 - 360°	Power source type *	DC
White balance	Auto, Manual	Power consumption (max)	2.8 W
Camera shutter type	Electronic	DC output voltage	12
Camera shutter speed	1/30-1/100000	Operational conditions	
Image sensor		Operating temperature (T-T)	-40 - 60 °C
Number of sensors	1	Storage temperature (T-T)	-40 - 60 °C
Progressive scan	✓	Operating relative humidity (H-H)	0 - 95%
Sensor type *	CMOS	Storage relative humidity (H-H)	0 - 95%
Lens system		Weight & dimensions	
Number of lenses *	1	Width	146.1 mm
Maximum aperture number	2	Depth	70 mm
Night vision		Height	69.8 mm
Night vision *	✓	Weight	150 g
Night vision distance	30 m		
LED type	IR		
Number of illumination LEDs	2		

Video		Packaging data	
Maximum resolution *	1920 x 1080 pixels	Package weight	230 g
Total megapixels *	2 MP	Packaging content	
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date