



## Dahua Technology DH-IPC-HMW3230N-M-DAE-0600B cámara de vigilancia Cámara de seguridad IP Exterior 1920 x 1080 Píxeles

**Marca :** Dahua Technology

**Código del producto:** DH-IPC-HMW3230N-M-DAE-0600B

**Nombre del producto :** DH-IPC-HMW3230N-M-DAE-0600B

Dahua Technology DH-IPC-HMW3230N-M-DAE-0600B. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Alámbrico. Color del producto: Negro, Material de la cubierta: Metal, Código IP (International Protection): IP67. Ángulo de visión del objetivo, horizontal: 55°, Ángulo de visión del objetivo, vertical: 31°, Ángulo de visión de la lente, diagonal: 62°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia focal fija: 6 mm

Performance		Video	
Type *	IP security camera	Back Light Compensation (BLC)	✓
Placement supported *	Outdoor	Highlight Compensation (HLC)	✓
Connectivity technology *	Wired	Digital Wide Dynamic Range (DWDR)	✓
Wide Dynamic Range (WDR)	✓	<b>Audio</b>	
Day/night mode	✓	Signal-to-Noise Ratio (SNR)	65 dB
Design		Built-in microphone	✓
Product colour *	Black	Network	
Housing material	Metal	Ethernet LAN *	✓
International Protection (IP) code	IP67	Ethernet interface type	Fast Ethernet
Camera		Supported network protocols	HTTP;HTTPS;TCP;ARP;RTSP;RTP;UDP;RTCP;SMTP;FTP;DHCP;DNS;DDNS;PPPOE;IPv4/v6;QoS;UPnP;NTP;Bonjour;IEEE 802.1x;Multicast;ICMP;IGMP;SNMP;TLS
Minimum illumination	0 lx	Wi-Fi *	✗
Lens viewing angle, horizontal	55°	Bluetooth *	✗
Lens viewing angle, vertical	31°	Number of users	20 user(s)
Lens viewing angle, diagonal	62°	Streaming method	Multicast, Unicast
White balance	Auto, Manual	Storage	
Camera shutter type	Electronic	Built-in HDD *	✗
Camera shutter speed	1/3 - 1/100000 s	Card reader integrated	✓
Image sensor		Compatible memory cards	MicroSD (TransFlash)
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Ports & interfaces	
Progressive scan	✓	Ethernet LAN (RJ-45) ports	1
Sensor type *	CMOS	Power	
Lens system		Power source type *	DC, PoE
Minimum aperture number	2	Power consumption (typical)	1.3 W
Fixed focal length	6 mm	Power consumption (max)	2.4 W
Night vision		DC output voltage	12
Night vision *	✓	Operational conditions	
Night vision distance	30 m	Operating temperature (T-T)	-30 - 60 °C
LED type	IR	Operating relative humidity (H-H)	0 - 95%
Video		Weight & dimensions	
Maximum resolution *	1920 x 1080 pixels	Width	107 mm
Total megapixels *	2 MP	Depth	82 mm
Video compression formats	H.264, H.264B, H.264H, H.265, M-JPEG	Height	68 mm
Supported video modes	1080p	Weight	395 g
Frame rate	30 fps	Packaging data	
Noise reduction	✓	Package weight	550 g
Noise reduction technology	3D noise reduction		
Gain control type	Auto/Manual		
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)		

### Packaging content

Number of cameras *	1
---------------------	---

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-JAN-2025. Prints or copies of Information are only valid on the printed Publication date