
## Samsung WA65D pizarrón interactivo 165.1 cm (65") 3840 x 2160 Pixeles Pantalla táctil Gris

Familia de productos: WAD Código del producto: Marca: Samsung

LH65WADWLGCXEN

## Nombre del producto:

WA65D







Display		Ports & interfaces	
HD type 4K Ultra HD	` '	RS-232 ports IR input port Video out	2 ✓ Yes
		Ergonomics	
Panel type Native aspect ratio Contrast ratio (typical) Response time Touchscreen * Touch technology Touchscreen type Viewing angle, horizontal Viewing angle, vertical Pixel pitch Colour gamut Maximum pixel clock Haze rate Computer system	ADS 16:9 1200:1 8 ms  ✓ Multi-touch Infrared 178° 178° 372 x 372 mm 72% 78 MHz 25%	Product colour VESA mounting Panel mounting interface  Certification	Grey  ✓  600 x 400 mm  Part 15, Subpart B Class A KS C9832, KS C9835 EN55032:2015/A11:2020/A1:2020,EN 55035:2017/A11:2020 EN 61000-3-2:2019/A1:2021 EN 61000-3-2:2019/A1:2021 EN 61000-3-2:2019/A1:2021 EN 61000-3-2:2013/A1:2019/A2:2021 EN 61000-3 IEC 62368-1 Edtion 3&IEC 60950-1 UL62368-1 edition 3 GB4943.1-2022 PSB+ IEC 62368-1 NOM-019 K 62368 RAM+ IEC 62368-1 EAC+ IEC 62368-1 INMETRO+ IEC 62368-1 SASO+ IEC 62368-1 BSMI+ IEC 62368-1 IEC
Operating system installed Operating system version	Android 13		62368-1/AS/NZS 62368-1 IEC60950-1 / IS13252
Maximum internal memory	64 GB	Performance	
Projector		Operating hours (hours/days)	12/7
Built-in projector *	X	Power	
Network Wi-Fi Bluetooth	*	Power consumption (typical) Power consumption (sleep) AC input voltage AC input frequency	385 W 0.5 W 100 - 240 V 50/60 Hz
Ethernet LAN	<b>/</b>	Operational conditions	
Ports & interfaces  HDCP  HDCP version  USB 3.2 Gen 1 (3.1 Gen 1) Type-A	<b>✓</b> 2.1 4	Operating temperature (T-T) Operating relative humidity (H-H) Weight & dimensions	0 - 40 °C 10 - 90%
ports quantity USB 2.0 ports quantity	1	Width * Depth	1488 mm 88 mm

Ports & interfaces		Weight & dimensions	
HDMI ports quantity HDMI version Ethernet LAN (RJ-45) ports Microphone connectivity Audio output	3 2.0 2 3.5 mm 1	Height *	897 mm
		Weight	33.9 kg
		Bezel width	1.64 cm
		Packaging data	
		Package width	1628 mm
		Package depth	208 mm
		Package height	1024 mm
		Package weight	42.9 kg
		Quantity per pack	1 pc(s)



8806095575728

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.