



## Dahua Technology Cooper DH-HAC-B2A21N-U cámara de vigilancia Bala (forma) Cámara de seguridad CCTV Interior y exterior 1920 x 1080 Píxeles Techo/pared/Tubo

**Marca :** Dahua Technology

**Familia de productos:** Cooper

**Código del producto:** DH-HAC-B2A21N-U

**Nombre del producto :** DH-HAC-B2A21N-U

Dahua Technology Cooper DH-HAC-B2A21N-U. Tipo: Cámara de seguridad CCTV, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared/Tubo, Color del producto: Negro, Blanco, Factor de forma: Bala (forma). Iluminación mínima: 0.04 Lux, Ángulo de rotación: 360°, Ángulo de inclinación: 0 - 90°. Tipo de sensor: CMOS. Distancia de visión nocturna: 20 m, Tipo de LED: IR

Performance		Video	
Type *	CCTV security camera	Supported video modes	720p, 960p, 1080p
Placement supported *	Indoor & outdoor	Video recording	✔
Connectivity technology *	Wired	Frame rate	30 fps
Wide Dynamic Range (WDR)	✔	Analog signal format system	NTSC
Day/night mode	✔	Noise reduction	✔
Certification	CE (EN55032:2015, EN61000-3-2:2014, EN61000-3-3:2013, EN55024:2010+A1:2015, EN55035:2017, EN50130-4:2011+A1:2014, EN62368-1:2014+A11:2017) FCC (CFR 47 FCC Part 15 subpartB, ANSI C63.4-2014)	Noise reduction technology	2D noise reduction
		Gain control type	Auto/Manual
		Back Light Compensation (BLC)	✔
		Highlight Compensation (HLC)	✔
		Digital Wide Dynamic Range (DWDR)	✔
		Smart IR	✔
Design		Audio	
Form factor *	Bullet	Signal-to-Noise Ratio (SNR)	65 dB
Mounting type *	Ceiling/Wall/Pole	Ports & interfaces	
Product colour *	Black, White	BNC output ports	1
Housing material	Metal	Security	
International Protection (IP) code	IP67	Mirror	✔
Camera		Power	
Minimum illumination	0.04 lx	Power source type *	DC
Angle of rotation	360°	Power consumption (max)	2.7 W
Tilt angle range	0 - 90°	DC output voltage	12
Pan range	0 - 360°	Operational conditions	
White balance	Auto, Manual	Operating temperature (T-T)	-40 - 60 °C
Camera shutter type	Electronic	Storage temperature (T-T)	-40 - 60 °C
Camera shutter speed	1/30 - 1/100000 s	Operating relative humidity (H-H)	0 - 95%
Image sensor		Weight & dimensions	
Progressive scan	✔	Diameter	7.01 cm
Sensor type *	CMOS	Length	157.6 mm
Lens system		Weight	250 g
Night vision		Packaging data	
Night vision *	✔	Package width	182 mm
Night vision distance	20 m	Package depth	90 mm
LED type	IR	Package height	77 mm
Number of illumination LEDs	2	Package weight	300 g
Video		Package type	Box
Maximum resolution *	1920 x 1080 pixels		
Total megapixels *	2 MP		

Video		Packaging content	
Supported graphics resolutions	960 x 480, 960 x 576, 1280 x 720 (HD 720), 1920 x 1080 (HD 1080)	Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date