

ASUS ROG Hyperion GR701 BTF Edition Tower Negro, Transparente

Marca : ASUS

Código del producto: 90DC00F0-B38010

Nombre del producto : ROG Hyperion GR701 BTF Edition

ASUS ROG Hyperion GR701 BTF Edition. Factor de forma: Tower, Tipo: PC, Color del producto: Negro, Transparente. Ventiladores frontales instalados: 3x 140 mm, Diámetro de ventiladores frontales soportados: 120,140,240,280,360,420 mm, Ventiladores traseros instalados: 1x 140 mm. Tamaños de disco duro soportados: 2.5,3.5", Factor de formato SSD: 2.5". Ancho: 268 mm, Profundidad: 639 mm, Altura: 659 mm



Diseño		Enfriamiento	
Factor de forma *	Tower	Control de la velocidad del ventilador	✓
Tipo *	PC	Ventiladores frontales instalados	3x 140 mm
Color del producto *	Negro, Transparente	Número de ventiladores frontales soportados (max.)	3
Formas de factor de tarjeta madre soportadas *	ATX, EATX, Micro ATX, Mini-ITX	Diámetro de ventiladores frontales soportados	120,140,240,280,360,420 mm
Número de puertos 3.5" *	2	Ventiladores traseros instalados	1x 140 mm
Número de bahías 2.5"	5	Número de ventiladores posteriores soportados	1
Número de ranuras de expansión	9	Diámetro de ventiladores traseros soportados	120,140 mm
Ventana lateral	✓	Número de ventiladores superiores soportados	3
Adecuado para	Juego	Diámetros de ventiladores superiores soportados	120,140,240,280,360,420 mm
Iluminación	✓	Tamaños de radiador delantero compatibles	120,140,240,280,360,420 mm
Iluminación de color	Multi	Tamaños de radiador trasero compatibles	120,140 mm
Panel(es) de vidrio templado	✓	Tamaños de radiador superior compatibles	120,140,240,280,360,420 mm
Filtro anti-polvo	✓	Medios de almacenaje	
Gestión de cables	✓	Tamaños de disco duro soportados *	2.5,3.5"
Botón de restaurar	✓	Caja combo HDD / SSD	✓
Botón de encendido/apagado	✓	Factor de formato SSD	2.5"
Botón de control RGB	✓	Número de HDDs soportados	7
Indicadores LED	✓	Peso y dimensiones	
Altura máxima de la CPU más fresco	19 cm	Ancho	268 mm
Máxima longitud de la tarjeta de gráficos	46 cm		
Máxima longitud de PSU	24 cm		
Fuente de alimentación			
Fuente de alimentación incluida *	✗		
Puertos e Interfaces			
Entrada de audio	✓		

Puertos e Interfaces		Peso y dimensiones	
Salida de audio	✓	Profundidad	639 mm
Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1) *	4	Altura	659 mm
Número de puertos USB Tipo C	2	Peso	21.3 kg
Cantidad de puertos tipo C USB 3.2 Gen 2 (3.1 Gen 2) *	1		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-JUL-2024. Prints or copies of Information are only valid on the printed Publication date