

## TP-Link Omada DS108G dispositivo de redes No administrado Gigabit Ethernet (10/100/1000) Negro

Marca : TP-Link Familia de productos: Omada Código del producto: DS108G

Nombre del producto :

DS108G



TP-Link Omada DS108G. Tipo de interruptor: No administrado. Puertos tipo básico de conmutación RJ-45 Ethernet: Gigabit Ethernet (10/100/1000), Cantidad de puertos básicos de conmutación RJ-45 Ethernet: 8. Tabla de direcciones MAC: 4000 entradas, Capacidad de conmutación: 16 Gbit/s. Estándares de red: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Voltaje de entrada DC: 5 V. Conector eléctrico: Toma de entrada de CC. Montaje de pared



Management features		Design	
Switch type *	Unmanaged	Housing material	Metal
Quality of Service (QoS) support	✓	Reset button	<b>✓</b>
Ports & interfaces		LED indicators	Activity, Link, Power
Basic switching RJ-45 Ethernet ports	ernet ports	Wall mountable	✓
quantity *		Performance	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Fanless	✓
Power connector	DC-in jack	Power	
Network		Power source *	DC
Networking standards *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Power supply included *	<b>✓</b>
		DC input voltage	5 V
10G support *	×	Input current	0.6 A
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Power consumption (max)	3.92 W
Flow control support	·	Power over Ethernet (PoE)	
Auto MDI/MDI-X	1	Power over Ethernet (PoE) *	×
Ethernet LAN data rates	10,100,1000 Mbit/s	Operational conditions	
Auto-negotiation	✓	Operating temperature (T-T)	0 - 40 °C
Data transmission		Storage temperature (T-T)	-40 - 70 °C
Switching capacity *	16 Gbit/s	Operating relative humidity (H-H)	10 - 90%
Forwarding rate	11.9 Mpps	Storage relative humidity (H-H)	5 - 90%
MAC address table *	4000 entries	Heat dissipation	13.37 BTU/h
Store-and-forward	✓	Weight & dimensions	
Jumbo frames support	✓	Width	158 mm
Jumbo frames	16	Depth	101 mm
Security		Height	25 mm
IGMP snooping	✓		

Security		Packaging content	
Loop protection	✓	Cables included	Power
Design		User guide	✓
Product colour	Black <b>Certificates</b>		
		Compliance certificates	CE, EAC, Federal Communications Commission (FCC), RoHS, UKCA





840030712043

0840030712043

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.