



TP-Link Omada DS108G-M2 dispositivo de redes No administrado 2.5G Ethernet (100/1000/2500) Negro

Marca : TP-Link

Familia de productos: Omada **Código del producto:** DS108G-M2

Nombre del producto : DS108G-M2



TP-Link Omada DS108G-M2. Tipo de interruptor: No administrado. Puertos tipo básico de conmutación RJ-45 Ethernet: 2.5G Ethernet (100/1000/2500), Cantidad de puertos básicos de conmutación RJ-45 Ethernet: 8. Tabla de direcciones MAC: 4000 entradas, Capacidad de conmutación: 40 Gbit/s. Estándares de red: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x. Voltaje de entrada DC: 12 V. Conector eléctrico: Toma de entrada de CC. Montaje de pared



Management features		Design	
Switch type *	Unmanaged	Reset button	✓
Quality of Service (QoS) support	✓	LED indicators	Activity, Link, Power
Ports & interfaces		Wall mountable	✓
Basic switching RJ-45 Ethernet ports quantity *	8	Performance	
Basic switching RJ-45 Ethernet ports type *	2.5G Ethernet (100/1000/2500)	Fanless	✓
Power connector	DC-in jack	Power	
Network		Power source *	DC
Networking standards *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x	Power supply included *	✓
10G support *	✗	DC input voltage	12 V
Copper ethernet cabling technology	2.5GBASE-T, 100BASE-TX, 1000BASE-T	Input current	1 A
Flow control support	✓	Power consumption (max)	8.87 W
Auto MDI/MDI-X	✓	Power over Ethernet (PoE)	
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Power over Ethernet (PoE) *	✗
Auto-negotiation	✓	Operational conditions	
Data transmission		Operating temperature (T-T)	0 - 40 °C
Switching capacity *	40 Gbit/s	Storage temperature (T-T)	-40 - 70 °C
Forwarding rate	29.8 Mpps	Operating relative humidity (H-H)	10 - 90%
MAC address table *	4000 entries	Storage relative humidity (H-H)	5 - 90%
Store-and-forward	✓	Heat dissipation	30.158 BTU/h
Jumbo frames support	✓	Weight & dimensions	
Jumbo frames	12	Width	158 mm
Packet buffer memory	8 MB	Depth	101 mm
		Height	25.4 mm
		Packaging content	
		Cables included	Power

Security		Packaging content	
IGMP snooping	✓	User guide	✓
Design		Packaging data	
Product colour	Black	Rubber feet	✓
Housing material	Metal	Certificates	
		Compliance certificates	CE, EAC, Federal Communications Commission (FCC), RoHS, UKCA



0840030712449



840030712449

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date