



TP-Link Omada DS108GP dispositivo de redes No administrado Gigabit Ethernet (10/100/1000) Energía sobre Ethernet (PoE) Negro

Marca : TP-Link

Familia de productos: Omada

Código del producto:
DS108GP



Nombre del producto :
DS108GP

TP-Link Omada DS108GP. Tipo de interruptor: No administrado. Puertos tipo básico de conmutación RJ-45 Ethernet: Gigabit Ethernet (10/100/1000), Cantidad de puertos básicos de conmutación RJ-45 Ethernet: 8. Tabla de direcciones MAC: 4000 entradas, Capacidad de conmutación: 16 Gbit/s. Estándares de red: IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3x. Conector eléctrico: Toma de entrada de CC. Energía sobre Ethernet (PoE)



Management features		Power	
Switch type *	Unmanaged	Power source *	AC/DC
Quality of Service (QoS) support	✓	Power supply included *	✓
Ports & interfaces		AC input voltage	100 - 240 V
Basic switching RJ-45 Ethernet ports quantity *	8	AC input frequency	50/60 Hz
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Input voltage	53.5 V
Power connector	DC-in jack	Power consumption (max)	75.75 W
Network		Power over Ethernet (PoE)	
Networking standards *	IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3x	Power over Ethernet (PoE) *	✓
10G support *	✗	Power over Ethernet (PoE) ports quantity	8
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Power over Ethernet (PoE) power per port	30 W
Auto MDI/MDI-X	✓	Total Power over Ethernet (PoE) budget	65 W
Ethernet LAN data rates	10,100,1000 Mbit/s	Operational conditions	
Auto-negotiation	✓	Operating temperature (T-T)	0 - 40 °C
Data transmission		Storage temperature (T-T)	-40 - 70 °C
Switching capacity *	16 Gbit/s	Operating relative humidity (H-H)	10 - 90%
Forwarding rate	11.904 Mpps	Storage relative humidity (H-H)	5 - 90%
MAC address table *	4000 entries	Heat dissipation	258.46 BTU/h
Store-and-forward	✓	Weight & dimensions	
Jumbo frames support	✓	Width	158 mm
Jumbo frames	16	Depth	101 mm
Security		Height	25 mm
IGMP snooping	✓	Packaging content	
		Cables included	Power
		User guide	✓

Design		Packaging data	
Product colour	Black	Rubber feet	✓
Housing material	Steel	Certificates	
Reset button	✓		
Performance		Compliance certificates	CE, EAC, Federal Communications Commission (FCC), Industry Canada (IC), RoHS, UKCA
Fanless	✓		



0840030712593



840030712593

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date