



Dahua Technology Cooper DH-HAC-T1A21 Domo Cámara de seguridad CCTV Interior y exterior 1920 x 1080 Pixeles Techo

Marca : Dahua Technology

Familia de productos: Cooper

Código del producto: DH-HAC-T1A21N-2.8MM

Nombre del producto : DH-HAC-T1A21

Dahua Technology Cooper DH-HAC-T1A21. Tipo: Cámara de seguridad CCTV, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo, Color del producto: Blanco, Factor de forma: Domo. Ángulo de rotación: 360°, Ángulo de visión del objetivo, horizontal: 103°, Ángulo de inclinación: 0 - 78°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"), Número de píxeles efectivos (A x V): 1920 x 1080 Pixeles. Distancia de detección: 51 m, Distancia de observación: 20 m, Distancia de reconocimiento: 10 m

Performance		Video	
Type *	CCTV security camera	Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080)
Placement supported *	Indoor & outdoor	Supported video modes	720p, 1080p
Connectivity technology *	Wired	Frame rate	60 fps
PTZ control	✓	Analog signal format system	NTSC, PAL
Wide Dynamic Range (WDR)	✓	NTSC resolutions	1920 x 1080 pixels
Day/night mode	✓	PAL resolutions	1920 x 1080 pixels
Alarm input/output	✓	Noise reduction	✓
Languages support	Multi	Noise reduction technology	Ultra 2D noise reduction
Certification	CE (EN55032, EN55024, EN50130-4), FCC (CFR 47 FCC Part 15 subpartB, ANSI C63.4-2014)	Privacy masking	✓
Design		Back Light Compensation (BLC)	✓
Form factor *	Dome	Highlight Compensation (HLC)	✓
Mounting type *	Ceiling	Digital Wide Dynamic Range (DWDR)	✓
Product colour *	White	Smart IR	✓
Housing material	Plastic	Audio	
Camera		Signal-to-Noise Ratio (SNR)	65 dB
Camera pan control	✓	Network	
Camera tilt control	✓	Ethernet LAN *	✗
Minimum illumination	0 lx	Wi-Fi *	✗
Angle of rotation	360°	Bluetooth *	✗
Lens viewing angle, horizontal	103°	Storage	
Tilt angle range	0 - 78°	Built-in HDD *	✗
Pan range	0 - 360°	Ports & interfaces	
White balance	Auto, Manual	BNC output ports	1
Camera shutter type	Electronic	DC-in jack	✓
Camera shutter speed	1/30 - 1/1000000 s	Security	
Adjustment shutter speed	Auto/Manual	Video motion detection	✓
Image sensor		Power	
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Power source type *	DC
Progressive scan	✓	Power consumption (max)	2.3 W
Sensor type *	CMOS	DC output voltage	12
Number of effective pixels (H x V)	1920 x 1080 pixels	Operational conditions	
Lens system		Operating temperature (T-T)	-40 - 60 °C
Detect distance	51 m	Storage temperature (T-T)	-40 - 60 °C
Observe distance	20 m	Operating relative humidity (H-H)	0 - 95%
Recognize distance	10 m	Storage relative humidity (H-H)	0 - 95%
Maximum aperture number	1.85		
Identify distance	5 m		
Fixed focal length	2.8 mm		

Lens system		Weight & dimensions	
Closest focusing distance	0.5 m	Height	69 mm
Night vision		Diameter	8.5 cm
Night vision *	✓	Weight	90 g
Night vision distance	20 m	Packaging data	
LED type	IR	Package weight	130 g
Video		Package type	Box
Maximum resolution *	1920 x 1080 pixels	Packaging content	
Total megapixels *	2 MP	Number of cameras *	1
		Cables included	BNC
		Manual	✓



6939554954955

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date