Bosch NDE-3703-AL cámara de vigilancia Domo Cámara de seguridad IP Interior y exterior 2592 x 1944 Pixeles Techo

Marca : Bosch Código del producto: NDE-3703-AL

Nombre del producto: NDE-3703-AL

Bosch NDE-3703-AL. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo, Color del producto: Blanco, Factor de forma: Domo. Balance de blancos: Manual, Sodium lamp. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Intervalo de longitud focal: 3.3 - 10.2 mm

Performance		Video	
Type * Placement supported * Connectivity technology *	IP security camera Indoor & outdoor Wired	Video streaming Image quality adjustment Back Light Compensation (BLC)	✓ Brightness, Mirror, Sharpness ✓
Day/night mode	√	Audio	
Infrared (IR) cut-off filter Dynamic range	✓ 120 dB	Signal-to-Noise Ratio (SNR)	55 dB
	120 UB	Network	
Design Form factor *	Dome	Ethernet LAN *	✓
Mounting type * Product colour * Housing material International Protection (IP) code IK code Country of origin	Ceiling White Aluminium, Polycarbonate (PC) IP66 IK10 Thailand	Ethernet interface type Supported network protocols	Fast Ethernet IPv4; IPv6; UDP; TCP; HTTP; HTTPS; RTP/RTCP; IGMP V2/V3; ICMP; ICMPv6; RTSP; FTP; ARP; DHCP; APIPA (Auto-IP, link local address); NTP (SNTP); SNMP (V1, MIBII); SNMP (V3, MIBII); DNS; DNSv6; DDNS (DynDNS.org, selfHOST.de, no-
Camera			ip.com); SMTP; iSCSI; UPnP (SSDP); DiffServ (QoS); LLDP; SOAP; CHAP;
White balance	Manual, Sodium lamp		Digest authentication
Number of Privacy masking areas	8	Wi-Fi *	X
Image sensor		Bluetooth *	X
Number of sensors	1 25.4 / 2.7 mm (1 / 2.7")	Storage	
Optical sensor size		Built-in HDD *	X
Sensor type *	CMOS	Card reader integrated	✓
Lens system		Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC
Zoom capability Number of lenses *	7 1	Maximum memory card size	2 TB
Focal length range	3.3 - 10.2 mm	Security	
Maximum aperture number Minimum aperture number	3.29 1.6	Security algorithms	128-bit AES, 256-bit AES, 256-bit AES-CBC, 4096-bit RSA, MD5, SHA-256, TLS
Night vision		Privacy protection	✓
Night vision *	✓	Mirror	✓
Night vision distance	30 m	Digital watermark	✓
LED type Infra-red wavelength	IR 850 nm	Pixel counter	✓
Video	030 11111	Power	
Maximum resolution *	2592 x 1944 pixels	Power source type *	PoE
Total megapixels *	5 MP	Power consumption (typical)	4.5 W
Video compression formats	H.264, H.265, HEVC, M-JPEG	Power consumption (max)	7.9 W
Supported graphics resolutions	320 x 240, 512 x 288, 2592 x 1456, 2592 x 1944 30 fps	Operational conditions	
Frame rate		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-30 - 50 °C -50 - 70 °C 5 - 95% 5 - 95%

Weight & dimensions	
Height	111 mm
Diameter	13.7 cm
Weight	789.5 g
Packaging content	
Number of cameras *	1
Other features	
Doesn't contain	PVC

