



## EZVIZ CS-H8c PoE (2K) Torreta Cámara de seguridad IP Interior y exterior 2304 x 1296 Píxeles Pared/poste

**Marca :** EZVIZ

**Código del producto:** CS-H8C/3MP/POE

**Nombre del producto :** CS-H8c PoE (2K)

EZVIZ CS-H8c PoE (2K). Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Pared/poste, Color del producto: Blanco, Factor de forma: Torreta. Ángulo de visión del objetivo, horizontal: 89°, Ángulo de visión del objetivo, vertical: 49°, Ángulo de visión de la lente, diagonal: 104°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.8 mm (1 / 2.8"). Distancia focal fija: 4 mm

Performance		Video	
Type *	IP security camera	Supported graphics resolutions	2304 x 1296
Placement supported *	Indoor & outdoor	Frame rate	30 fps
Connectivity technology *	Wired	Noise reduction	✓
Auto-tracking	✓	Noise reduction technology	3D noise reduction
Wide Dynamic Range (WDR)	✓	Network	
Infrared (IR) cut-off filter	✓	Ethernet LAN *	✓
Design		Ethernet interface type	Fast Ethernet
Form factor *	Turret	Wi-Fi *	✗
Mounting type *	Wall/Pole	Bluetooth *	✗
Product colour *	White	Storage	
Protection features	Weatherproof	Built-in HDD *	✗
Camera		Card reader integrated	✓
Camera pan control	✓	Compatible memory cards	MicroSD (TransFlash)
Camera tilt control	✓	Maximum memory card size	512 GB
Minimum illumination	0 lx	Ports & interfaces	
Lens viewing angle, horizontal	89°	Ethernet LAN (RJ-45) ports	1
Lens viewing angle, vertical	49°	Management features	
Lens viewing angle, diagonal	104°	Cloud services supported	EZVIZ Cloud
Tilt angle range	-80 - 80°	Power	
Pan range	0 - 350°	Power source type *	DC, PoE
Image sensor		Power consumption (max)	12 W
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	DC output voltage	12
Progressive scan	✓	DC output current	1 A
Sensor type *	CMOS	Operational conditions	
Lens system		Operating temperature (T-T)	-30 - 50 °C
Zoom capability	✓	Operating relative humidity (H-H)	0 - 95%
Minimum aperture number	1.6	Weight & dimensions	
Fixed focal length	4 mm	Width	100 mm
Night vision		Depth	140 mm
Night vision *	✓	Height	136 mm
Night vision distance	30 m	Weight	525 g
B/W night vision distance	30 m	Packaging data	
Colour night vision distance	20 m	Package width	140 mm
LED type	IR	Package depth	140 mm
Video		Package height	192 mm
Maximum resolution *	2304 x 1296 pixels	Package weight	745 g
Total megapixels *	3 MP	Sustainability	
Video compression formats	H.264, H.265	Compliance certificates	CE, REACH, RoHS, UL, WEEE

### Packaging content

Number of cameras \* 1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date