

PDU

8 Outlet Rackmount Power Strip



Feature

- Adopt temperature-controlled circuit break technology and built-in overcurrent protection circuit, in order to prevent fire completely;
- Large lightning current withstand capacity; rack mounting;
- Quick response time;
- Working status indicator inside.

Technical Specifications

Model	ZZM10/PDU(8 European 250)	ZZM10/PDU(8 British 250)	ZZM10/PDU(8 USA 250)
Image			
General			
Input Rated Voltage	Max. 250Vac	Max. 250Vac	Max. 125Vac
Load Current	16A	13A	15A
Max . Load Power	4000W	3250W	1875W
Input Plug/Cable	European /1.5mm ² , 2m	British/1.5mm ² , 2m	North American/13mm ² , 3m
Output Plug	8 outlet 3-pin European	8 outlet 3-pin British	8 outlet 3-pin, Universal (North American)
Protection	Overload protection module and switch	N/A (no extra space)	Overload protection module and switch
Installation	Horizontal, rackmount in the 19" cabinet		
Environmental			
Operating conditions	-40° C~+70° C(-40° F~+158° F) ≤ 95% RH		
Construction			
Casing	Aluminium & steel		
Color	Black		
Dimensions	482.6mm x 45mm x 45mm (19" x1.77" x1.77")		
Net Weight	0.8kg(1.761lb)	0.8kg(1.761lb)	1.0kg(2.21lb)
Gross Weight	0.9kg(1.981lb)	0.9kg(1.981lb)	1.1kg(2.431lb)


Order Information

Type	Part Number	Description
Cabinet	DH-PFC200-6U4D	19" 6U rock cabinet, depth 450mm, load bearing 40kg, support wall & plane mount
	DH-PFC200-6U6D	19" 6U rock cabinet, depth 600mm, load bearing 40kg, support wall & plane mount
	DH-PFC200-12U6D	19" 12U rock cabinet, depth 600mm, load bearing 80kg (shaft:40kg), support wall & plane mount
	DH-PFC200-12U8D	19" 12U rock cabinet, depth 800mm, load bearing 80kg (shaft:40kg), support wall & plane mount
	PFC200-6U4D	19" 6U rock cabinet, depth 450mm, load bearing 40kg, support wall & plane mount
	PFC200-6U6D	19" 6U rock cabinet, depth 600mm, load bearing 40kg, support wall & plane mount
	PFC200-12U6D	19" 12U rock cabinet, depth 600mm, load bearing 80kg (shaft: 40kg), support wall & plane mount
	PFC200-12U8D	19" 12U rock cabinet, depth 800mm, load bearing 80kg (shaft:40kg), support wall & plane mount


Cabinet Series | PDU

Tray	PFC610	19" rackmount tray
	PFH101	19" rackmount tray
PDU	ZZM10/PDU (8 European 250)	8 Outlet rackmount PDU power strip, max.AC250V rated input 16A/max. 4000W output, European
	ZZM10/PDU (8 British 250)	8 Outlet rackmount PDU power strip ,max.AC250V rated input 13A/max. 3250W output, British
	ZZM10/PDU (8 USA 250)	8 Outlet rackmount PDU power strip, max.AC125V rated input 15A/max. 1875W output, North American plug input/ universal output
Fan	AA1252 MB -AT	Rackmount cooling fan, AC220V input,2200~2300 RPM
	AA1251 MB -AT	Rackmount cooling fan, AC110V input,2200~2300 RPM
Caster wheel	PFC650B-60	Caster wheel, steel&PU, each load bearing 60kg

Dimensions (mm/inch)



Application



Package Information

- 8 Outlet rackmount PDU power strip*1
- M6 x10 screw *4
- M6 cage nut*4
- User instruction *1