



## EZVIZ H6 Esférico Cámara de seguridad IP Interior 2880 x 1620 Pixeles Escritorio

**Marca :** EZVIZ


**Código del producto:** CS-H6-V100-1J5WF

**Nombre del producto :** H6

EZVIZ H6. Tipo: Cámara de seguridad IP, Colocación compatible: Interior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Escritorio, Color del producto: Blanco, Factor de forma: Esférico. Iluminación mínima: 0.51 Lux, Ángulo de rotación: 360°, Ángulo de visión del objetivo, horizontal: 87°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia focal fija: 4 mm

Performance		Network	
Type *	IP security camera	Ethernet LAN *	✓
Placement supported *	Indoor	Ethernet interface type	Fast Ethernet
Connectivity technology *	Wired & Wireless	Wi-Fi *	✓
PTZ control	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Wide Dynamic Range (WDR)	✓	Channel bandwidth	40 MHz
Infrared (IR) cut-off filter	✓	Storage	
Certification	CE / UKCA / UL / WEEE / RoHS / REACH	Built-in HDD *	✗
Design		Card reader integrated	✓
Form factor *	Spherical	Compatible memory cards	MicroSD (TransFlash)
Mounting type *	Desk	Maximum memory card size	512 GB
Product colour *	White	Ports & interfaces	
Camera		Ethernet LAN (RJ-45) ports	1
Minimum illumination	0.51 lx	Security	
Angle of rotation	360°	Password protection	✓
Lens viewing angle, horizontal	87°	Video motion detection	✓
Lens viewing angle, vertical	53°	Security algorithms	WEP, WPA, WPA-PSK, WPA-PSK2, WPA2
Lens viewing angle, diagonal	104°	Intelligent Video Surveillance (IVS) system features	Human detection, Pet detection
Image sensor		Anti-flicker	✓
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Heartbeat	✓
Progressive scan	✓	Mirror	✓
Sensor type *	CMOS	Digital watermark	✓
Lens system		Management features	
Zoom capability	✓	Smartphone/tablet remote support	✓
Number of lenses *	1	Power	
Maximum aperture number	1.6	Power source type *	DC
Fixed focal length	4 mm	Power consumption (max)	8 W
Night vision		DC output voltage	5
Night vision *	✓	DC output current	2 A
Night vision distance	10 m	Operational conditions	
Video		Operating temperature (T-T)	-10 - 45 °C
Maximum resolution *	2880 x 1620 pixels	Storage temperature (T-T)	0 - 95 °C
Total megapixels *	5 MP	Weight & dimensions	
Video compression formats	H.264, H.265	Width	115.5 mm
Frame rate	25 fps	Depth	116 mm
Noise reduction	✓	Height	116 mm
Noise reduction technology	3D noise reduction	Diameter	25.5 cm
Privacy masking	✓		
Bit rate	4Mbps		
Back Light Compensation (BLC)	✓		

Video		Packaging data	
Digital Wide Dynamic Range (DWDR)	✓	Package width	116 mm
		Package depth	116 mm
Audio		Package height	164 mm
Built-in speaker(s)	✓	Package weight	487 g
Audio system	2-way	Packaging content	
Audio detection	✓	Number of cameras *	1
		Screws included	✓
		Drilling template included	✓
		Manual	✓



6941545618661

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date