

Samsung Galaxy Z Flip6 17 cm (6.7") SIM dual Android 14 5G USB Tipo C 12 GB 256 GB 4000 mAh Plata

Marca : Samsung Familia de productos: Galaxy Código del producto: SM-F741BZSGEUE

Nombre del producto : Galaxy Z Flip6



Samsung Galaxy Z Flip6. Diagonal de la pantalla: 17 cm (6.7"), Resolución de la pantalla: 2640 x 1080 Píxeles. Familia de procesador: Qualcomm Snapdragon, Modelo del procesador: 8 Gen 3. Capacidad de RAM: 12 GB, Capacidad de almacenamiento interno: 256 GB. Resolución de la cámara trasera (numérica): 50 MP, Tipo de cámara trasera: Cámara doble. Capacidad de la tarjeta SIM: SIM dual. Sistema operativo instalado: Android 14. Capacidad de batería: 4000 mAh. Color del producto: Plata. Peso: 187 g

Display		Camera	
Display diagonal *	17 cm (6.7")	Portrait mode	✓
Screen shape	Flat	Slow motion mode	✓
Display technology marketing name	Dynamic AMOLED 2X	Network	
Panel type	AMOLED	SIM card capability *	Dual SIM
Display glass type	Gorilla Glass	Mobile network generation *	5G
Gorilla Glass version	Gorilla Glass Victus 2	SIM card type *	NanoSIM + eSIM
Display resolution *	2640 x 1080 pixels	3G standards *	UMTS, WCDMA
Display number of colours	16 million colours	4G standard *	LTE-TDD & LTE-FDD
Maximum refresh rate	120 Hz	5G standard *	Sub6 FDD, Sub6 SDL, Sub6 TDD
Display brightness	1300 cd/m²	Wi-Fi	✓
Maximum display brightness (Outdoor)	2600 cd/m²	Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
Pixel density	425 ppi	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Brand specific technologies	Always-on display	Bluetooth *	✓
Second display	✓	Bluetooth version	5.3
Second display diagonal	8.64 cm (3.4")	Wi-Fi Direct	✓
Second display resolution	720 x 748 pixels	MIMO	✓
Second display brightness	1000 cd/m²	Modulation	1024-QAM
Second display type	Super AMOLED	Near Field Communication (NFC)	✓
Second display pixel density	306 ppi	Ports & interfaces	
Processor		USB port	✓
Processor family *	Qualcomm Snapdragon	USB connector type	USB Type-C
Processor model *	8 Gen 3	USB version	3.2 Gen 1 (3.1 Gen 1)
Processor cores	8	Headphone connectivity	USB Type-C
Processor boost frequency	3.39 GHz	Design	
Storage		Form factor *	Clamshell
User memory	227.7 GB	Product colour *	Silver
RAM capacity *	12 GB	Colour name	Silver Shadow
Internal storage capacity *	256 GB	International Protection (IP) code	IP48
Compatible memory cards *	Not supported	Performance	
Camera		Fast charging	✓
Rear camera sensor size	1/1.56"	Wireless charging	✓
Second rear camera sensor size	1/3.2"	Fingerprint reader	✓
Rear camera resolution (numeric) *	50 MP	Face recognition	✓
Second rear camera resolution (numeric)	12 MP	USB On-The-Go support	✓
Rear camera resolution	6120 x 8160 pixels		
Rear camera aperture number	1.8		

Camera		Navigation	
Second rear camera aperture number	2.2	GPS (satellite)	✓
Rear camera pixel size	1 µm	GLONASS	✓
Second rear camera pixel size	1.12 µm	BeiDou	✓
Rear camera field of view (FOV) angle	85°	Galileo	✓
Second rear camera field of view (FOV) angle	123°	Quasi-Zenith Satellite System (QZSS)	✓
Digital zoom	10x	Position location *	✓
Front camera type *	Single camera	Multimedia	
Front camera sensor size	1/3.24"	Audio formats supported	3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF
Front camera resolution (numeric) *	10 MP	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Front camera aperture number	2.2	Software	
Front camera pixel size	1.22 µm	Platform *	Android
Front camera field of view (FOV) angle	85°	Operating system installed *	Android 14
Rear camera flash *	✓	Virtual assistant	Samsung Bixby
Flash type	LED	Battery	
Video capture resolution (max)	2160 x 3840 pixels	Battery recharge time	1.5 h
Maximum frame rate	240 fps	Battery capacity *	4000 mAh
Resolution at capture speed	1280x720@30fps,	Sensors	
	1920x1080@120fps,	Proximity sensor	✓
	1920x1080@240fps,	Accelerometer	✓
	1920x1080@30fps,	Ambient light sensor	✓
Rear camera type *	Dual camera	Gyroscope	✓
		Barometer	✓
Auto focus	✓	Geomagnetic sensor	✓
Time lapse mode	✓	Hall sensor	✓
Image stabilizer	✓	Weight & dimensions	
Image stabilizer type	Optical Image Stabilization (OIS)	Width	71.9 mm
Night mode	✓	Depth	6.9 mm
Panorama	✓	Height	165.1 mm
		Weight *	187 g
		Folded width	7.19 cm
		Folded depth	1.49 cm
		Folded height	8.51 cm
		Packaging content	
		Cables included	USB Type-C
		SIM card ejector pin	✓



8806095663869

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date