

DELL P Series P2425H monitor de computadora 60.5 cm (23.8") 1920 x 1080 Pixeles Full HD LCD Negro

Marca : DELL Familia de productos: P Código del producto: P2425H

Series

Nombre del producto:

P2425H

- 60.5cm (23.81") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m², 1500:1
- USB, VGA, HDMI, DisplayPort

60.5cm (23.81") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL P Series P2425H monitor de computadora 60.5 cm (23.8") 1920 x 1080 Pixeles Full HD LCD Negro:

Mantenga su productividad. Obtenga comodidad visual mejorada y conectividad sin complicaciones con este monitor FHD, certificado por TÜV, que ofrece una comodidad visual de 4 estrellas. DELL P Series P2425H. Diagonal de la pantalla: 60.5 cm (23.8"), Resolución de la pantalla: 1920 x 1080 Pixeles, Tipo HD: Full HD, Tecnología de visualización: LCD, Tiempo de respuesta: 8 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Concentrador USB integrado, Versión del concentrador USB: 3.2 Gen 1 (3.1 Gen 1). montaje VESA, Ajustes de altura. Color del producto: Negro





Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Adjustable height (max)	15 cm
Display resolution *	1920 x 1080 pixels	Pivot	✓
HD type *	Full HD	Pivot angle	-90 - 90°
Native aspect ratio *	16:9	Swivelling	✓
Display technology *	LCD	Swivel angle range	-45 - 45°
Panel type *	IPS	Tilt adjustment	✓
LED backlight	✓	Tilt angle range	-5 - 21°
Backlight type	LED	On Screen Display (OSD)	×
Touchscreen *	×	Plug and Play	✓
Display brightness (typical)	250 cd/m ²	LED indicators	· •
Response time *	8 ms		•
Anti-glare screen	✓	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	C
Consideration with the second time.	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA),	Energy efficiency class (HDR) * Energy consumption (SDR) per 1000	Not available 12 kWh
Supported graphics resolutions	1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)	hours * Power consumption (typical) *	11.7 W
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	1500:1	Power consumption (max)	65 W
Maximum refresh rate *	100 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours *	16.7 million colours	Input current	1.5 A
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2745 x 0.2745 mm	Energy efficiency scale	A to G
Pixel density	92.53 ppi	Operational conditions	
Horizontal scan range	30 - 110 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	48 - 100 Hz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	52.7 cm		

Display		Operational conditions	
Viewable size, vertical	29.6 cm 60.5 cm	Operating relative humidity (H-H) Storage relative humidity (H-H)	10 - 80% 5 - 90%
Viewable size diagonal Surface hardness	3H	Operating altitude	0 - 5000 m
sRGB coverage (typical)	99%	Non-operating altitude	0 - 12192 m
Dell ComfortView technology	✓	Weight & dimensions	
Performance		Width (with stand)	538.6 mm
NVIDIA G-SYNC *	×	Depth (with stand)	181.8 mm
AMD FreeSync *	X	Height (with stand)	364 mm
Flicker-free technology	^ ✓	Weight (with stand)	4.61 kg
Low Blue Light technology	· ·	Width (without stand)	538.6 mm
Windows operating systems		Depth (without stand)	50 mm
supported	Windows 10, Yes	Height (without stand) Weight (without stand)	314.2 mm 3.12 kg
Mac operating systems supported	MacOS	Bezel width (side)	5.8 mm
Multimedia		Bezel width (top)	5.8 mm
Built-in speaker(s) *	×	Bezel width (bottom)	1.2 cm
Built-in camera *	×	Packaging data	
Design		Package weight	6.78 kg
Product colour *	Black	USB cable length	1.8 m
Front bezel colour	Black	Packaging content	
Feet colour	Grey	Stand included	/
Ports & interfaces		Cables included	AC, DisplayPort, USB Type-A
Built-in USB hub *	✓	Quick start guide	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)	DisplayPort cable length	1.8 m
Number of USB Type-B upstream	1	HDMI cable length	1.8 m
ports quantity USB Type-A downstream ports		Sustainability	
quantity	3	Sustainability compliance	✓
USB Type-C downstream ports	1	Sustainability certificates	TÜV mark
quantity USB Power Delivery (USB PD)	/	Doesn't contain	Arsenic, Mercury, PVC/BFR
USB Power Delivery up to	15 W	Carbon footprint	
VGA (D-Sub) ports quantity	1	Total carbon footprint (kg of CO2e)	138
HDMI*	✓	Carbon emissions, manufacturing (kg of CO2e)	67
HDMI ports quantity	1	Carbon emissions, logistics (kg of	10
HDMI version	1.4	CO2e)	10
DisplayPorts quantity	1	Carbon emissions, energy usage (kg of CO2e)	58
DisplayPort version	1.2	Carbon emissions, end-of-life (kg of	3
Headphone out * HDCP	×	CO2e)	J
HDCP HDCP version	1.4	Total carbon emissions, w/o use phase (kg of CO2e)	80
AC (power) in	1.4 ✓	PAIA version	GaBi version 1, 2024
Ergonomics		Brand-specific features	
VESA mounting *	✓	Dell Display Manager (DDM)	✓
Panel mounting interface	100 x 100 mm	compatibility	•
Cable management	100 X 100 IIIII		
Cable lock slot *			
Cable lock slot type	Kensington		
Height adjustment *	✓		

