

TP-Link VIGI C230I MINI(2.8MM) cámara de vigilancia Domo Cámara de seguridad IP Interior y exterior 2304 x 1296 Pixeles Techo

Marca : TP-Link Familia de productos: VIGI Código del producto: VIGI C2301 MINI(2.8MM)

Nombre del producto : VIGI

C230I MINI(2.8MM)


TP-Link VIGI C230I MINI(2.8MM). Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo, Color del producto: Blanco, Factor de forma: Domo. Ángulo de visión del objetivo, horizontal: 106.9°, Ángulo de visión del objetivo, vertical: 56.9°, Ángulo de visión de la lente, diagonal: 127.9°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.8 mm (1 / 2.8"). Distancia focal fija: 2.8 mm





Performance		Video	
Placement supported * In	IP security camera Indoor & outdoor Wired	Highlight Compensation (HLC) Digital Wide Dynamic Range (DWDR)	1
Day/night mode	✓	Audio	
Certification	CE/VCCI/BSMI/KC/ONVIF	Built-in speaker(s)	✓
Design		Built-in microphone	✓
Form factor *	Dome	Network	
Mounting type * Product colour *	Ceiling White	Ethernet LAN *	✓
Housing material	Plastic	Ethernet interface type	Fast Ethernet
IK code Camera	IK08	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP UDP, SSL/TLS
Lens viewing angle, horizontal	106.9°	Wi-Fi *	×
Lens viewing angle, vertical	56.9°	Bluetooth *	×
Lens viewing angle, diagonal	127.9°	Storage	
Image sensor		Built-in HDD *	x
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Card reader integrated	✓
Sensor type *	CMOS	Compatible memory cards	MicroSD (TransFlash)
Lens system		Maximum memory card size	256 GB
Fixed focal length	2.8 mm	Ports & interfaces	
Night vision		Ethernet LAN (RJ-45) ports	1
Night vision *	✓	Security	
Night vision distance	30 m	Password protection	✓
LED type	IR	IP address filtering	✓
Video		HTTPS encryption	✓
Maximum resolution *	2304 x 1296 pixels		

Video		Management features	
Total megapixels *	3 MP	Reset button	✓
Video compression formats	Brightness, Contrast, Mirror, Saturation, Sharpness	Power	
Supported graphics resolutions		Power source type * Power consumption (max) DC output voltage	DC, PoE 7.5 W 12
Noise reduction		Operational conditions	
Noise reduction technology Image quality adjustment		Operating temperature (T-T) Weight & dimensions	-30 - 60 °C
Back Light Compensation (BLC)		Width Depth Height	114 mm 58 mm 114 mm
		Packaging content	
		Number of cameras *	1



4897098688922

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.