



MSI PRO MP225 monitor de computadora 54.6 cm (21.5") 1920 x 1080 Pixeles Full HD LED Negro

Marca : MSI

Código del producto: PRO MP225

Nombre del producto : PRO MP225

MSI PRO MP225. Diagonal de la pantalla: 54.6 cm (21.5"), Resolución de la pantalla: 1920 x 1080 Pixeles, Tipo HD: Full HD, Tecnología de visualización: LED, Tiempo de respuesta: 4 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Altavoces incorporados. montaje VESA. Color del producto: Negro



Display		Ports & interfaces	
Display diagonal *	54.6 cm (21.5")	VGA (D-Sub) ports quantity	1
Display resolution *	1920 x 1080 pixels	DVI port	✗
HD type *	Full HD	HDMI *	✓
Native aspect ratio *	16:9	HDMI ports quantity	1
Display technology *	LED	HDMI version	1.4b
Panel type *	IPS	DisplayPorts quantity	1
Touchscreen *	✗	DisplayPort version	1.4a
Display brightness (typical)	250 cd/m²	Audio input	✓
Response time *	4 ms	Headphone out *	✓
Anti-glare screen	✓	Headphone outputs	1
Screen shape *	Flat	Microphone in	✓
Supported video modes	1080p	Ergonomics	
Aspect ratio	16:9	VESA mounting *	✓
Contrast ratio (typical) *	1300:1	Panel mounting interface	100 x 100 mm
Contrast ratio (dynamic)	100000000:1	Cable lock slot *	✓
Maximum refresh rate *	100 Hz	Cable lock slot type	Kensington
Viewing angle, horizontal	178°	Height adjustment *	✗
Viewing angle, vertical	178°	Pivot	✗
Display number of colours *	16.7 million colours	Swivelling	✗
Response time (fast)	1 ms	Tilt adjustment	✓
Vertical scan range	48 - 100 Hz	Tilt angle range	-5 - 20°
Display diagonal (metric)	55 cm	Power	
sRGB coverage (typical)	107.39%	Energy efficiency class (SDR) *	E
Performance		Energy consumption (SDR) per 1000 hours *	15 kWh
NVIDIA G-SYNC *	✗	Power consumption (standby) *	0.5 W
AMD FreeSync *	✗	Power consumption (off)	0.3 W
Flicker-free technology	✓		
Low Blue Light technology	✓		

Multimedia		Power	
Built-in speaker(s) *	✓	AC input voltage	100 - 240 V
Built-in camera *	✗	AC input frequency	50/60 Hz
Design		Input current	2.5 A
Product colour *	Black	AC adapter output voltage	12 V
Feet colour	Black	Energy efficiency scale	A to G
Ports & interfaces		Packaging data	
Built-in USB hub *	✗	Package type	Box
		Logistics data	
		Harmonized System (HS) code	85285210



4711377180146

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date