



Imou IPC-C26EN-V2 Domo Cámara de seguridad IP Interior y exterior 1920 x 1080 Píxeles Techo/pared

Marca : Imou

Código del producto: IPC-C26EN-V2-IMOU

Nombre del producto : IPC-C26EN-V2



Cámara Wi-Fi de disuasión activa 1080P H.265

Imou IPC-C26EN-V2 Domo Cámara de seguridad IP Interior y exterior 1920 x 1080 Píxeles Techo/pared:

LOOC ofrece monitoreo en vivo de 2MP, admite la última compresión H.265 que puede ahorrar hasta un 50% de ancho de banda y almacenamiento. Con certificación IP65, la cámara se puede usar en exteriores bajo diferentes condiciones climáticas. Con reflector incorporado y sirena de seguridad de 110 dB, LOOC mantiene a los visitantes no deseados lejos de lo que le importa antes de que ingresen a su hogar

Imou IPC-C26EN-V2. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Inalámbrico. Tipo de montaje: Techo/pared, Color del producto: Blanco, Factor de forma: Domo. Ángulo de visión del objetivo, horizontal: 111°, Ángulo de visión del objetivo, vertical: 58°, Ángulo de visión de la lente, diagonal: 133°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Zoom digital: 16x, Intervalo de longitud focal: 2.8 mm

Performance		Audio	
Type *	IP security camera	Built-in speaker(s)	✓
Placement supported *	Indoor & outdoor	Built-in microphone	✓
Connectivity technology *	Wireless	Network	
Design		Ethernet LAN *	✗
Form factor *	Dome	Wi-Fi *	✓
Mounting type *	Ceiling/wall	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Product colour *	White	Storage	
International Protection (IP) code	IP65	Built-in HDD *	✗
Camera		Card reader integrated	✓
Lens viewing angle, horizontal	111°	Compatible memory cards	MicroSD (TransFlash)
Lens viewing angle, vertical	58°	Maximum memory card size	128 GB
Lens viewing angle, diagonal	133°	Security	
Image sensor		Video motion detection	✓
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Management features	
Sensor type *	CMOS	Cloud-managed *	✓
Lens system		Reset button	✓
Zoom capability	✓	WPS push button	✓
Digital zoom	16x	Power	
Focal length range	2.8 mm	Power source type *	DC
Night vision		DC output voltage	5
Night vision *	✓	DC output current	2 A
Night vision distance	10 m	Operational conditions	
Video		Operating temperature (T-T)	-20 - 50 °C
Maximum resolution *	1920 x 1080 pixels	System requirements	
Total megapixels *	2 MP	Mobile operating systems supported	Android, iOS
Video formats supported	H.264, H.265	Weight & dimensions	
Frame rate	30 fps	Width	75 mm
Region of Interest (ROI) encoding	✓	Depth	84 mm
		Height	97.7 mm
		Weight	308 g

Packaging content

Number of cameras *	1
---------------------	---

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date