



TP-Link Tapo C120 Cámara de seguridad IP Interior y exterior 2560 x 1440 Píxeles Techo/Pared/Escritorio

Marca : TP-Link

Familia de productos: Tapo

Código del producto: TAPO
C120

Nombre del producto : Tapo
C120

TP-Link Tapo C120. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Techo/Pared/Escritorio, Color del producto: Blanco, Negro. Ángulo de campo de visión (FOV): 120°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.9 mm (1 / 2.9"). Distancia focal fija: 3.17 mm



Performance		Network	
Type *	IP security camera	Networking standards	IEEE 802.11n, IEEE 802.11b, IEEE 802.11g
Placement supported *	Indoor & outdoor	Wi-Fi *	✓
Connectivity technology *	Wired & Wireless	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Day/night mode	✓	Bluetooth *	✗
Design		Storage	
Mounting type *	Ceiling/Wall/Desktop	Built-in HDD *	✗
Product colour *	White, Black	Card reader integrated	✓
LED indicators	✓	Compatible memory cards	MicroSD (TransFlash)
Camera		Maximum memory card size	512 GB
Field of view (FOV) angle	120°	Ports & interfaces	
Image sensor		DC-in jack	✓
Number of sensors	1	Security	
Optical sensor size	25.4 / 2.9 mm (1 / 2.9")	Video motion detection	✓
Sensor type *	CMOS	Security algorithms	WPA, WPA2-PSK
Lens system		Management features	
Maximum aperture number	1.65	Reset button	✓
Fixed focal length	3.17 mm	Power	
Night vision		Power source type *	DC
Night vision *	✓	AC input voltage	100 - 240 V
Night vision distance	10 m	AC input frequency	50 / 60 Hz
Colour night vision distance	10 m	DC output voltage	5
Infra-red wavelength	940 nm	DC output current	1 A
Video		Operational conditions	
Maximum resolution *	2560 x 1440 pixels	Operating temperature (T-T)	-20 - 45 °C
Total megapixels *	4 MP		
Video formats supported	H.264		

Video		Operational conditions	
Frame rate	20 fps	Storage temperature (T-T)	-20 - 60 °C
Audio		Operating relative humidity (H-H)	10 - 90%
Built-in speaker(s)	✓	Storage relative humidity (H-H)	5 - 90%
Audio system	2-way	Weight & dimensions	
Signal-to-Noise Ratio (SNR)	96 dB	Width	67.4 mm
Built-in microphone	✓	Depth	57.4 mm
Network		Height	44.1 mm
Ethernet LAN *	✗	Packaging content	
		Number of cameras *	1



4895252503364



4895252503357



0840030709944



840030709944

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.