Samsung LS27D600UALXZX monitor de computadora 68.6 cm (27") 2560 x 1440 Pixeles Quad HD LCD Negro

Marca : Samsung Familia de productos: Código del producto: ViewFinity LS27D600UALXZX

Nombre del producto:

LS27D600UALXZX

- Resolución QHD
- 1 Billón de colores con HDR 10
- Conexión USB tipo C
- Diseño ergonómico ajustable

27", Quad HD (2560 x 1440), IPS, 100 Hz, 5 ms, HDR10, USB, DP, HDMI, LAN, $612.9 \times 556.6 \times 220$ mm Samsung LS27D600UALXZX. Diagonal de la pantalla: 68.6 cm (27"), Resolución de la pantalla: 2560×1440 Pixeles, Tipo HD: Quad HD, Tecnología de visualización: LCD, Tiempo de respuesta: 5 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178° , Ángulo de visión, vertical: 178° . Concentrador USB integrado, Versión del concentrador USB: 3.2 Gen 1 (3.1 Gen 1). montaje VESA, Ajustes de altura. Color del producto: Negro





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen *	2560 x 1440 pixels Quad HD sect ratio * 16:9 chnology * LCD IPS en * X	DisplayPort out quantity DisplayPort out version DisplayPort version Headphone out * HDCP HDCP version Network	1 1.4 1.4 ✓ ✓
Display brightness (typical) Response time *	350 cd/m ² 5 ms	Ethernet LAN	✓
Screen shape * Contrast ratio (typical) * Dynamic contrast ratio marketing name Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Viewable size, horizontal Viewable size, vertical Display diagonal (metric) High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology	Flat 1000:1 Mega Contrast 100 Hz 178° 178° 1.07 billion colours 59.7 cm 33.6 cm 68 cm High Dynamic Range 10 (HDR10)	Ergonomics VESA mounting * Panel mounting interface Wall mountable Height adjustment * Adjustable height (max) Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range Picture-in-Picture	100 x 100 mm 12 cm -92 - 92° -30 - 30° -2 - 25°
sRGB coverage (typical)	99%	Power	
Performance NVIDIA G-SYNC * AMD FreeSync *	×	Power consumption (max) AC input voltage Power supply type	160 W 100 - 240 V Internal
Flicker-free technology	✓	Operational conditions	10 40 90
Multimedia Built-in speaker(s) *	×	Operating temperature (T-T) Operating relative humidity (H-H)	10 - 40 °C 10 - 80%
Built-in camera *	×	Weight & dimensions	
Design Market positioning *	Professional	Width (with stand) Depth (with stand) Height (with stand)	612.9 mm 220 mm 556.6 mm

Design		Weight & dimensions	
Product colour * Feet colour	Black Black	Weight (with stand) Width (without stand) Depth (without stand)	6.1 kg 612.9 mm 41.6 mm
Ports & interfaces			
Built-in USB hub *	22 Com 1 (21 Com 1)	Height (without stand) Weight (without stand)	367.7 mm 3.6 kg
USB hub version USB upstream port type	3.2 Gen 1 (3.1 Gen 1) USB Type-B 1	Packaging data	
, , ,,		Package width	687 mm
USB Type-A downstream ports quantity	2	Package depth Package height	510 mm 160 mm
USB Type-C downstream ports quantity	1	Package weight	8.3 kg
USB Power Delivery (USB PD)	✓	Packaging content	
USB Power Delivery up to	90 W	Stand included	✓
HDMI *	✓	Cables included	AC, USB Type-C
HDMI ports quantity	1	Power cable length	1.5 m
HDMI version	2.0	Other features	
DisplayPorts quantity	2	Brand specific technologies	Eye Saver
		Video colour modes	Custom, Eco, Entertain, Game, Graphic, Original, Sports, Standard
		Adaptive picture	✓
		Certification	Windows 11

