## Dahua Technology DH-P3B-PV cámara de vigilancia Torreta Cámara de seguridad IP Exterior 2304 x 1296 Pixeles Techo/pared

Marca : Dahua Technology

Código del producto: DH-P3B-PV

Nombre del producto : DH-P3B-PV

Dahua Technology DH-P3B-PV. Tipo: Cámara de seguridad IP, Colocación compatible: Exterior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Techo/pared, Color del producto: Blanco, Factor de forma: Torreta. Ángulo de rotación: 180°, Ángulo de visión del objetivo, horizontal: 87°, Ángulo de visión del objetivo, vertical: 44°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia de visión nocturna: 30 m, Tipo de LED: IR/Blanco

Performance		Video	
Type *	IP security camera	Bit rate	80 kbps-4096 kbps
Placement supported *	Outdoor	Digital Wide Dynamic Range	<ul> <li>Image international states</li> </ul>
Connectivity technology *	Wired & Wireless	(DWDR)	•
Auto-tracking	<ul> <li>Image: A set of the set of the</li></ul>	Audio	
Wide Dynamic Range (WDR)	<ul> <li>Image: A set of the set of the</li></ul>	Built-in speaker(s)	1
Day/night mode	1	Built-in microphone	1
Built-in light	1	Voice codecs	G.711a
Design		Network	
Form factor *	Turret	Ethernet LAN *	1
Mounting type *	Ceiling/wall	Ethernet interface type	Fast Ethernet
Product colour *	White	Wi-Fi *	1
Housing material International Protection (IP) code	Plastic IP66	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)
Camera		Bluetooth *	✓
Angle of rotation	180°	Storage	
Lens viewing angle, horizontal	87°	Card reader integrated	1
Lens viewing angle, vertical	44°	Compatible memory cards	MicroSD (TransFlash)
Lens viewing angle, diagonal	105°	Maximum memory card size	256 GB
Tilt angle range Pan range	0 - 90° 0 - 355°	Ports & interfaces	
Camera shutter type	Electronic	Ethernet LAN (RJ-45) ports	1
Camera shutter speed	1/3 s-1/100,000 s	Security	
Adjustment shutter speed	Auto/Manual	Intelligent Video Surveillance (IVS)	Human detection, Vehicle detection
Image sensor		system features	Human detection, venicie detection
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Power	
Sensor type *	CMOS	Power source type *	DC
Lens system		Power consumption (typical)	1.56 W
Maximum aperture number	1.6	Power consumption (max) DC output voltage	4.56 W 12
Night vision		Operational conditions	
Night vision *	1		-20 - 50 °C
Night vision distance	30 m	Operating temperature (T-T) Operating relative humidity (H-H)	-20 - 30 °C 0 - 95%
LED type	IR/White	System requirements	
Number of illumination LEDs	4	Mobile operating systems supported	Android iOS
Video			Android, 105
Maximum resolution *	2304 x 1296 pixels	Weight & dimensions	
Total megapixels *	3 MP	Width	116 mm
Video compression formats	H.265	Depth	138 mm
Frame rate	30 fps	Height Weight	139 mm 425 g
Video streaming	✓	Weight	725 y

## Packaging content

Number of cameras \*

1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.