



Dahua Technology PICOO-A39U-DA cámara de vigilancia Torreta Cámara de seguridad IP Interior y exterior 2304 x 1296 Píxeles Pared



Marca : Dahua Technology

Código del producto: PICOO-A39U-DA

Nombre del producto : PICOO-A39U-DA

Cámara PT de red inalámbrica de 3MP

Dahua Technology PICOO-A39U-DA cámara de vigilancia Torreta Cámara de seguridad IP Interior y exterior 2304 x 1296 Píxeles Pared:

La serie Active Defense de pequeñas cámaras PT eleva el listón del rendimiento. Después de detectar una intrusión, activa alarmas sonoras y luminosas y luego transmite instantáneamente información vital sobre la intrusión al cliente móvil, manteniéndolo informado sin importar dónde se encuentre. Admite conversación bidireccional, lo que le permite comunicarse con personas frente a la cámara en tiempo real. También puede grabar videos a todo color e información de eventos clave utilizando iluminadores duales inteligentes, lo que reduce efectivamente la contaminación lumínica.

Performance		Video	
Type *	IP security camera	Video compression formats	H.264, H.264+, H.264B, H.265, H.265+, M-JPEG
Placement supported *	Indoor & outdoor	Supported graphics resolutions	352 x 240, 352 x 288, 704 x 480, 704 x 576, 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080), 2304 x 1296
Connectivity technology *	Wired & Wireless	Digital Wide Dynamic Range (DWDR)	✓
PTZ control	✓		
Preset points	✓		
Built-in light	✓		
Design		Audio	
Form factor *	Turret	Voice codecs	G.711Mu, G.711a, G.726
Mounting type *	Wall	Network	
Product colour *	White	Ethernet LAN *	✓
International Protection (IP) code	IP66	Ethernet interface type	Fast Ethernet
Camera		Wi-Fi *	✓
Camera pan control	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Camera tilt control	✓	Bluetooth *	✗
Lens viewing angle, horizontal	86.8°	Storage	
Lens viewing angle, vertical	47.1°	Built-in HDD *	✗
Lens viewing angle, diagonal	102.2°	Compatible memory cards	MicroSD (TransFlash)
Tilt angle range	0 - 80°	Maximum memory card size	256 GB
Pan range	0 - 345°	Power	
Camera shutter type	Electronic	Power source type *	DC
Camera shutter speed	1 - 1/100000 s	DC output voltage	12
Image sensor		DC output current	1 A
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Operational conditions	
Sensor type *	CMOS	Operating temperature (T-T)	-30 - 55 °C
Lens system		Operating relative humidity (H-H)	0 - 95%
Minimum aperture number	2	System requirements	
Fixed focal length	4 mm	Mobile operating systems supported	Android, iOS
Closest focusing distance	0.6 m	Weight & dimensions	
Night vision		Height	140.5 mm
Night vision *	✓	Diameter	11.1 cm
LED type	IR/White	Weight	500 g
Number of illumination LEDs	4		
Video			
Maximum resolution *	2304 x 1296 pixels		

Video		Packaging data	
Total megapixels *	3 MP	Package weight	1 kg
Sustainability			
Compliance certificates	CE		
Packaging content			
Number of cameras *	1		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date