



Dahua Technology AX15M router inalámbrico Ethernet Doble banda (2,4 GHz / 5 GHz) Negro

Marca : Dahua Technology

Código del producto: DH-AX15M

Nombre del producto : AX15M

Dahua Technology AX15M. Tipo de conexión WAN: RJ-45. Banda Wi-Fi: Doble banda (2,4 GHz / 5 GHz), Máximo estándar Wi-Fi: Wi-Fi 6 (802.11ax), Tasa de transferencia de datos WLAN (máx.): 1500 Mbit/s. Tipo de interfaz Ethernet LAN: Ethernet, Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s, Tecnología de cableado: 10/100/1000Base-T(X). Algoritmos de seguridad: WPA-PSK, WPA2-PSK, WPA3. Tipo de producto: Router de mesa, Color del producto: Negro



WAN connection		Security	
Ethernet WAN *	✓	Network address translation (NAT)	✓
DSL WAN *	✗	Protocols	
SIM card slot *	✗	DHCP client	✓
3G/4G USB modem compatibility *	✗	DHCP server	✓
WAN connection type	RJ-45	Design	
Wireless LAN features		Product colour	Black
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Indication light	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Product type *	Tabletop router
WLAN data transfer rate (max) *	1500 Mbit/s	Packaging content	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Cables included	LAN (RJ-45)
WLAN data transfer rate (first band)	300 Mbit/s	AC adapter included	✓
WLAN data transfer rate (second band)	1201 Mbit/s	Manual	✓
Channels quantity	165 channels	Antenna	
Modulation	1024-QAM	Antenna design *	External
Channel bandwidth	80 MHz	Antenna type	2x2
Network		Antenna gain level (max)	5 dBi
Ethernet LAN *	✓	Antennas quantity	4
Ethernet LAN interface type *	Ethernet	Features	
Ethernet LAN data rates	10,100,1000 Mbit/s	Internal memory	128 MB
Cabling technology	10/100/1000Base-T(X)	Flash memory	128 MB
Automatic channel selection	✓	Number of simultaneously connected devices (max)	32
Dynamic DNS (DDNS)	✓	Firmware upgradeable	✓
Receiver sensitivity	2.4 GHz 11n HT20_MCS0: -95 dbm 11n HT20_MCS7: -75 dbm 11n HT40_MCS0: -92 dbm 11n HT40_MCS7: -72 dbm 5 GHz 11ac VHT80_MCS0: -89 dbm 11ac VHT80_MCS9: -62 dbm 11ax HE80_MCS0: -89 dbm 11ax HE80_MCS11: -59 dbm	Power	
Ports & interfaces		Power source type *	DC
Ethernet LAN (RJ-45) ports *	3	Output voltage	12 V
USB port *	✗	Output current	1 A
DC-in jack	✓	Power consumption (typical)	10 W
		External power adapter	✓
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 70 °C
		Operating relative humidity (H-H)	10 - 90%

Management features		Weight & dimensions	
Web-based management	✓	Width	119 mm
Quality of Service (QoS) support	✓	Depth	215 mm
Reset button	✓	Height	173 mm
WPS push button	✓	Weight	260 g
MU-MIMO technology	✓	Packaging data	
MIMO	✓	Package width	285 mm
Security		Package depth	295 mm
Security algorithms	WPA-PSK, WPA2-PSK, WPA3	Package height	70 mm
Guest access	✓	Package weight	560 g
Parental control	✓	Number of products included	1 pc(s)
System event log	✓	Other features	
		Bandwidth (first)	2.484 GHz
		Bandwidth (second)	5.85 GHz



6923172562425

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date