



## TP-Link Omada DS116GE dispositivo de redes Gestionado L2 Gigabit Ethernet (10/100/1000) Negro

Marca : TP-Link

Familia de productos: Omada Código del producto:  
DS116GE

Nombre del producto :  
DS116GE



TP-Link Omada DS116GE. Tipo de interruptor: Gestionado, Capa del interruptor: L2. Puertos tipo básico de conmutación RJ-45 Ethernet: Gigabit Ethernet (10/100/1000), Cantidad de puertos básicos de conmutación RJ-45 Ethernet: 16. Tabla de direcciones MAC: 8000 entradas, Capacidad de conmutación: 32 Gbit/s. Estándares de red: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Conector eléctrico: Conector de entrada de CA

Management features		Security	
Switch type *	Managed	Loop protection	✓
Switch layer	L2	Queue scheduling algorithms	Priority queuing (PQ)
Quality of Service (QoS) support	✓	Design	
Ports & interfaces		Product colour	Black
Basic switching RJ-45 Ethernet ports quantity *	16	Housing material	Steel
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Reset button	✓
Power connector	AC-in jack	LED indicators	✓
Network		Performance	
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Fanless	✓
10G support *	✗	Power	
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Power source *	AC
Port mirroring	✓	Power supply included *	✓
Link aggregation	✓	AC input voltage	100 - 240 V
Broadcast storm control	✓	AC input frequency	50/60 Hz
Rate limiting	✓	Power consumption (max)	9.19 W
Auto MDI/MDI-X	✓	Power over Ethernet (PoE)	
Ethernet LAN data rates	10,100,1000 Mbit/s	Power over Ethernet (PoE) *	✗
Auto-negotiation	✓	Operational conditions	
VLAN support	✓	Operating temperature (T-T)	0 - 40 °C
Virtual LAN features	Port-based VLAN, Tagged VLAN	Storage temperature (T-T)	-40 - 70 °C
Number of VLANs	32	Operating relative humidity (H-H)	10 - 90%
Data transmission		Storage relative humidity (H-H)	5 - 90%
		Heat dissipation	31.36 BTU/h
		Weight & dimensions	
		Width	268 mm

Data transmission		Weight & dimensions	
Switching capacity *	32 Gbit/s	Depth	111.7 mm
Forwarding rate	23.81 Mpps	Height	25.4 mm
MAC address table *	8000 entries	<b>Packaging content</b>	
Store-and-forward	✓	Cables included	Power
Number of queues	4	User guide	✓
Jumbo frames support	✓	Rack mount kit	✓
Jumbo frames	9	<b>Packaging data</b>	
Packet buffer memory	4.1 MB	Rubber feet	✓
<b>Security</b>		<b>Certificates</b>	
IGMP snooping	✓	Compliance certificates	CE, Federal Communications Commission (FCC), Industry Canada (IC), RoHS



0840030712005



840030712005

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.