



TP-Link VIGI NVR1004H grabadora de vídeo en red (NVR) Negro

Marca : TP-Link Familia de productos: VIGI Código del producto: VIGI NVR1004H

Nombre del producto : VIGI NVR1004H



- Live View de 4 canales y salida de vídeo HDMI 4K
  - Capacidad de decodificación de 2 canales a 8MP/ 4 canales a 4MP
  - Reproducción sincronizada de 4 canales†
  - Ancho de banda entrante de 80 Mbps y ancho de banda saliente de 60 Mbps
  - 1 Interfaz SATA (hasta 10 TB) \*
  - Tecnología de compresión H.265
  - Salida simultánea HDMI y VGA
  - Monitorización remota
  - 4-Channel, 80 Mbps, 60 Mbps, G.711A/G.711U/G.726, H.265+/H.265/ H.264+/H.264, 1, RJ-45 10/100 , 2x USB 2.0, 0.59 kg
- TP-Link VIGI NVR1004H. Canales de entrada de vídeo: 4 canales, Máxima resolución: 3840 x 2160 Píxeles, Modos de grabación de vídeo: 720p, 1080p, 2160p. Capacidad máxima de almacenaje: 10 TB, Interfaz del HDD: SATA. Protocolos de red compatibles: UPnP (Plug and Play), NTP (Network Timing). Color del producto: Negro. Consumo energético: 4.25 W



Desempeño		Puertos e Interfaces	
Canales de entrada de vídeo *	4 canales	Número de puertos HDMI	1
Modos de grabación de vídeo	720p, 1080p, 2160p	Puertos de salida VGA (D-Sub)	1
Máxima resolución *	3840 x 2160 Píxeles	Cantidad de puertos USB 2.0	2
Resoluciones soportadas	3840x2160,1920x1080, 1680x1050,	Entradas RCA de sonido	1
	1440x900, 1280x1024, 1024x768, 1280x720	Salidas RCA de sonido	1
Resolución en velocidad de captura	1280x720@60fps, 1920x1080@60fps, 3840x2160@30fps	Protocolos de red compatibles	UPnP (Plug and Play), NTP (Network Timing)
Formatos de audio soportados	G.711u, G.726	Características	
Formatos de vídeo compatibles	H.264, H.264+, H.265, H.265+	Indicadores LED	✓
Ancho de banda de entrada	80 Mbit/s	Color del producto	Negro
Ancho de banda de salida	60 Mbit/s	Control de energía	
Características de LAN inalámbrico		Consumo energético	4.25 W
Wifi *	✗	Condiciones ambientales	
Disco duro		Intervalo de temperatura operativa (T-T)	-10 - 55 °C
Número de HDDs instalados *	1	Intervalo de humedad relativa para funcionamiento	10 - 90%
Capacidad máxima de almacenaje *	10 TB	Peso y dimensiones	
Interfaz del HDD *	SATA	Ancho	246.2 mm
Puertos e Interfaces		Profundidad	148.2 mm
Puertos Ethernet LAN (RJ-45) *	1	Altura	45 mm
Cantidad de puertos Power over Ethernet (PoE)	1	Peso	590 g
Salida HDMI	✓	Peso del paquete	950 g



8885020620412

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-SEP-2024. Prints or copies of Information are only valid on the printed Publication date