



Dahua Technology Entry IPC-HFW1639TC-A-IL Bala (forma) Cámara de seguridad IP Interior y exterior 3200 x 1800 Píxeles Techo/pared/Tubo

Marca : Dahua Technology

Familia de productos: Entry

Código del producto: DH-IPC-HFW1639TC-A-IL

Nombre del producto : IPC-HFW1639TC-A-IL

Dahua Technology Entry IPC-HFW1639TC-A-IL. Tipo: Cámara de seguridad IP, Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico. Tipo de montaje: Techo/pared/Tubo, Color del producto: Blanco, Factor de forma: Bala (forma). Iluminación mínima: 0.0007 Lux, Ángulo de rotación: 360°, Ángulo de inclinación: 0 - 90°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.7 mm (1 / 2.7"). Distancia de visión nocturna: 30 m

Performance		Video	
Type *	IP security camera	Digital Wide Dynamic Range (DWDR)	✓
Placement supported *	Indoor & outdoor	Region of Interest (ROI) encoding	✓
Connectivity technology *	Wired	Smart IR	✓
Wide Dynamic Range (WDR)	✓	Audio	
Day/night mode	✓	Signal-to-Noise Ratio (SNR)	56 dB
Built-in light	✓	Built-in microphone	✓
Certification	CE-LVD: EN62368-1; CE-EMC: 2014/30/EU	Voice codecs	G.711Mu, G.711a, G.726, PCM
Design		Network	
Form factor *	Bullet	Ethernet LAN *	✓
Mounting type *	Ceiling/Wall/Pole	Ethernet interface type	Fast Ethernet
Product colour *	White	Networking standards	IEEE 802.3af
Housing material	Metal	Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; DHCP; DNS; DDNS; NTP; Multicast; ICMP; IGMP; P2P
International Protection (IP) code	IP67		
Camera		Wi-Fi *	✗
Minimum illumination	0.0007 lx	Bluetooth *	✗
Angle of rotation	360°	Number of users	20 user(s)
Tilt angle range	0 - 90°	Storage	
Pan range	0 - 360°	Built-in HDD *	✗
White balance	Auto, Manual, Natural, Outdoor, Regional custom, Street lamp	ROM capacity	128 MB
Camera shutter type	Electronic	RAM capacity	256 MB
Camera shutter speed	1/3 - 1/100000 s	Ports & interfaces	
Number of Privacy masking areas	4	Ethernet LAN (RJ-45) ports	1
Image sensor		Security	
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Video motion detection	✓
Progressive scan	✓	Mirror	✓
Sensor type *	CMOS	Management features	
Lens system		Web-based management	✓
Number of lenses *	1	Management software	Smart PSS Lite; DSS; DMSS; DoLynk Care
Night vision		Power	
Night vision *	✓	Power source type *	DC, PoE
Night vision distance	30 m	Power consumption (typical)	2 W
Number of illumination LEDs	1	Power consumption (max)	4 W
Video		Power consumption (Power over Ethernet (PoE))	5.3 W
Maximum resolution *	3200 x 1800 pixels		
Total megapixels *	6 MP		
Video compression formats	H.264, H.264+, H.264B, H.264H, H.265, H.265+, M-JPEG		

Video		Power	
Supported graphics resolutions	352 x 240, 352 x 288, 640 x 480 (VGA), 704 x 480, 704 x 576, 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080), 2048 x 1536 (QXGA), 2304 x 1296, 2688 x 1520, 2880 x 1620, 3200 x 1800	DC output voltage	12
		Operational conditions	
		Operating temperature (T-T)	-40 - 60 °C
		Storage temperature (T-T)	-40 - 60 °C
Frame rate	30 fps	Operating relative humidity (H-H)	0 - 95%
Video streaming	✓	System requirements	
Noise reduction	✓	Mobile operating systems supported Android, iOS	
Noise reduction technology	3D noise reduction	Weight & dimensions	
Gain control type	Auto/Manual	Width	70 mm
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)	Depth	173.3 mm
Bit rate	H.264: 32 kbps-8192 kbps; H.265: 12 kbps-8192 kbps	Height	70 mm
		Weight	440 g
Back Light Compensation (BLC)	✓	Packaging data	
Highlight Compensation (HLC)	✓	Package weight	550 g
Packaging content			
		Number of cameras *	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date