
Bosch NBE-3703-AL cámara de vigilancia Bala (forma) Cámara de seguridad IP Interior y exterior 2592 x 1944 Pixeles Techo/pared

Marca : Bosch Código del producto: NBE-3703-AL

Nombre del producto: NBE-3703-AL





Performance		Video	
Type * Placement supported * Connectivity technology *	IP security camera Indoor & outdoor Wired	Video streaming Image quality adjustment Back Light Compensation (BLC)	✔ Brightness, Mirror, Sharpness ✔
Day/night mode Infrared (IR) cut-off filter	<i>'</i>	Audio	
Dynamic range	120 dB	Signal-to-Noise Ratio (SNR)	55 dB
Design		Network	
Form factor * Mounting type * Product colour * Housing material International Protection (IP) code IK code Country of origin	Bullet Ceiling/wall White Metal, Plastic IP66 IK10 Thailand	Ethernet LAN * Ethernet interface type Supported network protocols	Fast Ethernet IPv4; IPv6; UDP; TCP; HTTP; HTTPS; RTP/RTCP; IGMP V2/V3; ICMP; ICMPv6; RTSP; FTP; ARP; DHCP; APIPA (Auto-IP, link local address); NTP (SNTP); SNMP (V1, MIBII); SNMP (V3, MIBII); DNS; DNSv6; DDNS (DynDNS.org, selfHOST.de, no- ip.com); SMTP; iSCSI; UPnP (SSDP); DiffServ (QoS); LLDP; SOAP; CHAP;
Camera			
White balance Number of Privacy masking areas	Manual, Sodium lamp 8	Wi-Fi *	Digest authentication
Image sensor		Bluetooth *	×
Number of sensors	1	Storage	
Optical sensor size Sensor type *	25.4 / 2.7 mm (1 / 2.7") CMOS	Built-in HDD * Card reader integrated	×
Lens system		Compatible memory cards	MicroSDHC, MicroSDXC
Zoom capability Number of lenses * Focal length range Minimum aperture number	1 3.3 - 10.2 mm 1.6	Security Security algorithms	128-bit AES, 256-bit AES, 256-bit AES-CBC, 4096-bit RSA, MD5, SHA-256, TLS
Night vision		Privacy protection	✓
Night vision * Night vision distance LED type	✓ 30 m IR	Mirror Digital watermark Pixel counter	* * * *
Infra-red wavelength	850 nm	Power	
Video Maximum resolution * Total megapixels *	2592 x 1944 pixels 5 MP	Power source type * Power consumption (typical) Power consumption (max)	PoE 3.24 W 7.72 W
Video compression formats	H.264, H.265, HEVC, M-JPEG	Operational conditions	
Supported graphics resolutions Frame rate	320 x 240, 512 x 288, 2592 x 1456, 2592 x 1944 30 fps	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-30 - 50 °C -50 - 70 °C 5 - 93% 5 - 95%

Weight & dimensions		
Width	123 mm	
Diameter	9.7 cm	
Weight	1.39 kg	
Packaging content		
Number of cameras *	1	
Other features		
Doesn't contain	PVC	

