

GIGABYTE BSi3-1115G4 1 l tamaño PC Negro i3-1115G4

Marca : GIGABYTE

Código del producto: GB-BSi3-1115G4


Nombre del producto : BSi3-1115G4

GIGABYTE BSi3-1115G4. Tipo de chasis: 1 l tamaño PC, Tipo de producto: Mini PC barebone. tipos de memoria compatibles: DDR4-SDRAM, Número de ranuras de memoria: 2, Memoria interna máxima: 64 GB. Tipos de unidades de almacenamiento admitidas: SSD, Interfaz de unidad de almacenamiento: M.2. Puertos Ethernet LAN (RJ-45): 2. Estándares de Wi-Fi: Wi-Fi 6 (802.11ax), Versión de Bluetooth: 5.2. Fuente de alimentación: 135 W



| Processor                          |                          | Ports & interfaces                                      |                      |
|------------------------------------|--------------------------|---|----------------------|
| Processor manufacturer             | Intel                    | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity         | 2                    |
| Processor family                   | Intel® Core™ i3          | HDMI ports quantity *                                   | 4                    |
| Processor generation               | 11th gen Intel® Core™ i3 | HDMI version  | 2.0a                 |
| Processor model                    | i3-1115G4                | Microphone in   | ✓                    |
| Processor cores                    | 2                        | Headphone outputs                                       | 1                    |
| Processor threads                  | 4                        | Ethernet LAN (RJ-45) ports *                            | 2                    |
| Processor boost frequency          | 4.1 GHz                  | Thunderbolt ports quantity                              | 1                    |
| Built-in processor *               | ✓                        | DC-in jack  | ✓                    |
| Processor lithography              | 10 nm                    | Design  |                      |
| Processor cache                    | 6 MB                     | Chassis type *  | 1L sized PC          |
| CPU configuration (max)            | 1                        | Product colour *  | Black                |
| Memory                             |                          | VESA mounting   | ✓                    |
| Memory slots type *                | SO-DIMM                  | Panel mounting interface                                | 75 x 75,100 x 100 mm |
| Number of memory slots *           | 2                        | Product type *  | Mini PC barebone     |
| Maximum internal memory            | 64 GB                    | Performance   |                      |
| Supported memory clock speeds      | 3200 MHz                 | Motherboard form factor                                 | SBC                  |
| Supported memory types             | DDR4-SDRAM               | Audio chip  | Realtek ALC255       |
| Memory channels                    | Dual-channel             | Processor special features                              |                      |
| Storage                            |                          | Embedded options available                              | ✗                    |
| Supported storage drive types *    | SSD                      | Intel Virtualization Technology for Directed I/O (VT-d) | ✓                    |
| Storage drive sizes supported *    | M.2                      | Intel VT-x with Extended Page Tables (EPT)              | ✓                    |
| Storage drive interface            | M.2                      | Idle States   | ✓                    |
| Number of storage drives supported | 2                        | Intel Trusted Execution Technology                      | ✗                    |
| Graphics                           |                          | Intel Stable Image Platform Program (SIPP)              | ✗                    |
| On-board graphics card *           | ✓                        | Intel Virtualization Technology (VT-x)                  | ✓                    |
| Graphics card family               | Intel                    | Logistics data  |                      |
| On-board graphics card model       | Intel Iris Xe Graphics   | Harmonized System (HS) code                             | 84713000             |
| Discrete graphics card model       | Not available            |   |                      |
| Maximum resolution                 | 3840 x 2160 pixels       |   |                      |
| Number of displays supported       | 4                        |   |                      |
| Display                            |                          |   |                      |
| Touchscreen                        | ✗                        |   |                      |

| Audio   |                             | Software                            |  |
|---|-----------------------------|-------------------------------------|--|
| Built-in speaker(s) *                             | ✗                           | Windows operating systems supported | Windows 10 Home, Windows 10 IOT Core, Windows 10 Pro |
| Network   |                             | Linux operating systems supported   | ✓  |
| Top Wi-Fi standard                                | Wi-Fi 6 (802.11ax)          | <b>Power</b>                        |  |
| Wi-Fi standards                                   | Wi-Fi 6 (802.11ax)          | Power supply type *                 | External AC adapter                                  |
| WLAN controller model                             | Intel Wi-Fi 6 AX201         | Power supply                        | 135 W  |
| Ethernet LAN *                                    | ✓                           | Number of power supply units        | 1  |
| Wi-Fi *   | ✓                           | AC input voltage                    | 100 - 240 V  |
| LAN controller                                    | Intel® I219-V, Intel I225-V | AC adapter output voltage           | 19 V   |
| Bluetooth   | ✓                           | AC adapter output current           | 7.1 A  |
| Bluetooth version                                 | 5.2                         | <b>Operational conditions</b>       |  |
| Ports & interfaces                                |                             | Operating temperature (T-T)         | 0 - 35 °C  |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 4                           | Storage temperature (T-T)           | -20 - 60 °C  |
|   |                             | <b>Weight &amp; dimensions</b>      |  |
|   |                             | Width                               | 196.2 mm   |
|   |                             | Depth                               | 140 mm   |
|   |                             | Height                              | 44.4 mm  |



4719331600464

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date