Imou Ranger Dual 10MP Cámara de seguridad IP Interior 2880 x 1620 Pixeles Escritorio

Marca : Imou Código del producto: IPC-S2XN-10M0WED

Nombre del producto : Ranger Dual 10MP

5 MP 1/3" Progressive CMOS, 5 MP 1/3" Progressive CMOS, 3.6 mm, Micro SD, Wi-Fi, LAN, DC 5V 1.5A Imou Ranger Dual 10MP. Tipo: Cámara de seguridad IP, Colocación compatible: Interior, Tecnología de conectividad: Inalámbrico y alámbrico. Tipo de montaje: Escritorio, Color del producto: Blanco. Ángulo de visión del objetivo, horizontal: 87°, Ángulo de visión del objetivo, vertical: 47°, Ángulo de visión de la lente, diagonal: 105°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 2.8 mm (1 / 2.8"). Zoom digital: 8x, Distancia focal fija: 3.6 mm



Performance		Network	
Placement supported * Indoor	IP security camera Indoor Wired & Wireless	Wi-Fi * Wi-Fi standards Bluetooth *	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ×
		Storage	
Day/night mode Certification	✓ CE, UKCA	Built-in HDD * Card reader integrated	X / MissacCD (Tanas Flash)
Design		Compatible memory cards Maximum memory card size	MicroSD (TransFlash) 256 GB
Mounting type * Product colour *	Desk White	Ports & interfaces	
Camera		Ethernet LAN (RJ-45) ports USB port	1
Lens viewing angle, horizontal Lens viewing angle, vertical	87° 47°	Security	
Lens viewing angle, diagonal Tilt angle range Pan range	105° 0 - 15° 0 - 355°	Video motion detection Intelligent Video Surveillance (IVS) system features	✓ Human detection, Pet detection
Image sensor		Management features	
Number of sensors Optical sensor size Progressive scan	2 25.4 / 2.8 mm (1 / 2.8")	Reset button Smartphone/tablet remote support Power	* *
Sensor type * Lens system Digital zoom Number of lenses *	CMOS 8x 2	Power source type * Power consumption (max) DC output voltage DC output current	DC 5.7 W 5 1.5 A
Fixed focal length	3.6 mm	Operational conditions	
Night vision		Operating temperature (T-T)	-10 - 45 °C
Night vision *	✓	Operating relative humidity (H-H)	0 - 95%
Night vision distance	15 m	System requirements	
Video		Mobile operating systems supported	1 Android, iOS
Maximum resolution * Total megapixels * Video compression formats Frame rate	2880 x 1620 pixels 3 MP H.264, H.265 15 fps	Weight & dimensions Width Depth Height	82.2 mm 82.2 mm 115.4 mm

Video		Weight & dimensions	
Privacy masking	✓	Weight	225 g
Audio		Sustainability	
Built-in speaker(s)	✓	Sustainability compliance	✓
Audio system	2-way	Compliance certificates	CE, UKCA
Built-in microphone	✓	Packaging content	
Audio detection	✓	Number of cameras *	1
Network		Cables included	USB
Ethernet LAN *	✓	Mounting kit	✓
Ethernet interface type	Fast Ethernet	Screws included	✓

