## Lenovo ThinkPad E14 Intel Core Ultra 5 125U Computadora portátil 35.6 cm (14") WUXGA 16 GB DDR5-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Español Negro

Código del producto: Marca: Lenovo Familia de productos: ThinkPad

21M8000ULM

## Nombre del producto: E14

- Windows 11 Pro
- Intel Core Ultra 5 125U (12MB Cache)
- 35.6 cm (14") WUXGA 1920 x 1200 IPS
- 16GB (5600MHz) DDR5-SDRAM (1 x 16) & 512GB SSD

Intel Core Ultra 5 125U (12MB Cache), 16GB DDR5-SDRAM, 512GB SSD, 35.6 cm (14") WUXGA 1920 x 1200 IPS, Intel Graphics, LAN, WLAN, Webcam, Windows 11 Pro

Lenovo ThinkPad E14. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: Intel Core Ultra 5, Modelo del procesador: 125U. Diagonal de la pantalla: 35.6 cm (14"), Tipo HD: WUXGA, Resolución de la pantalla: 1920 x 1200 Pixeles. Memoria interna: 16 GB, Tipo de memoria interna: DDR5-SDRAM. Capacidad total de almacenaje: 512 GB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: Intel Graphics. Sistema operativo instalado: Windows 11 Pro. Color del producto: Negro. Peso: 1.42 kg





| Design   |  | Camera  |   |
|--|--|---|---|
| Product type * Product colour * Form factor * Housing material   | Laptop<br>Black<br>Clamshell<br>Acrylonitrile butadiene styrene<br>(ABS), Aluminium, Polycarbonate | Front camera Front camera resolution Front camera HD type Privacy camera  | ✓<br>1280 x 720 pixels<br>HD            |
| riousing material  | (PC)   | Privacy type  | Privacy shutter                         |
| Display  |  | Network   |   |
| Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio | 35.6 cm (14") 1920 x 1200 pixels  X  WUXGA  IPS  16:10   | Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN | Wi-Fi 6E (802.11ax) Wi-Fi 6E (802.11ax) |
| Anti-glare screen  | <b>✓</b>   | Ethernet LAN data rates   | 100,1000 Mbit/s                         |
| Display brightness   | 300 cd/m²  | Bluetooth   | <b>✓</b>                                |
| RGB colour space   | NTSC   | Bluetooth version   | 5.3                                     |
| Colour gamut<br>Maximum refresh rate   | 45%<br>60 Hz   | Near Field Communication (NFC) WWAN   | X<br>Not installed                      |
| Contrast ratio (typical)   | 800:1  | Ports & interfaces  |   |
| Processor Processor manufacturer *   | Intel  | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *   | 1                                       |
| Processor family *   | Intel Core Ultra 5   | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity   | 1                                       |
| Processor generation Processor model *   | Intel® Core™ Ultra (Series 1)<br>125U  | USB 3.2 Gen 2x2 Type-C ports quantity   | 1                                       |
| Processor cores  | 12   | HDMI ports quantity *   | 1                                       |
| Processor threads  | 14   | HDMI version  | 2.1                                     |
| Processor boost frequency  | 4.3 GHz  | Thunderbolt 4 ports quantity  | 1                                       |

| Processor  |  | Ports & interfaces  |  |
|--|--|---|--|
| Performance cores                                    | 2  | Intel® Thunderbolt 4                                      | ✓  |
| Efficient cores                                      | 8  | Combo headphone/mic port                                  | ✓  |
| Low Power Efficient-cores Performance-core Max Turbo | 2  | USB Type-C DisplayPort Alternate                          | 1  |
| Frequency  | 4.3 GHz                                    | Mode USB Sleep-and-Charge                                 | <b>✓</b>   |
| Efficient-core Max Turbo Frequency                   | 3.6 GHz                                    |   | •  |
| Low Power Efficient-core Max Turbo                   | 2.1 GHz                                    | Performance   |  |
| Frequency Performance-core base frequency            | 1.3 GHz                                    | Motherboard chipset                                       | Intel SoC  |
| Efficient-core base frequency                        | 0.8 GHz                                    | Keyboard  |  |
| Low Power Efficient-core Base                        |  | Pointing device   | ThinkPad UltraNav  |
| Frequency  | 700 MHz                                    | Numeric keypad *  | ×  |
| Processor cache                                      | 12 MB                                      | Keyboard backlit  | ×  |
| Processor cache type                                 | Smart Cache                                | Spill-resistant keyboard                                  | <b>✓</b>   |
| Processor base power  Maximum turbo power            | 15 W<br>57 W                               | Keyboard language   | Spanish  |
| ·  | 37 VV                                      | Software  |  |
| Neural processor unit (NPU)                          |  | Operating system language                                 | Spanish  |
| Neural processor unit (NPU)                          | Intel Al Boost                             | Operating system installed *                              | Windows 11 Pro   |
| Maximum frequency NPU                                | 1.4 GHz                                    | Battery   |  |
| Sparsity support                                     | <b>/</b>                                   | Battery technology  | Lithium Polymer (LiPo)   |
| Windows Studio effects support                       | <b>/</b>                                   | Number of battery cells                                   | 3  |
| Al software frameworks supported by NPU              | DirectML, ONNX RT, OpenVINO,<br>Windows ML | Battery capacity *  | 47 Wh  |
| Memory   |  | Fast charging   | ✓  |
| -  | 16 CD                                      | Power   |  |
| Internal memory * Internal memory type               | 16 GB<br>DDR5-SDRAM                        | AC adapter power  | 65 W   |
| Memory clock speed                                   | 5600 MHz                                   | AC adapter frequency                                      | 50/60 Hz   |
| Memory form factor                                   | SO-DIMM                                    | AC adapter input voltage                                  | 100 - 240 V  |
| Memory layout (slots x size)                         | 1 x 16 GB                                  | USB Type-C charging port *                                | ✓ ·  |
| Memory slots   | 2x SO-DIMM                                 | USB Power Delivery (USB PD)                               | ·  |
| Maximum internal memory *                            | 64 GB                                      |   | •  |
| Memory channels                                      | Dual-channel                               | Security  |  |
| Storage  |  | Cable lock slot   | •  |
| Total storage capacity *                             | 512 GB                                     | Cable lock slot type                                      | Kensington   |
| Storage media *                                      | SSD  | Fingerprint reader  | 1  |
| Total SSDs capacity                                  | 512 GB                                     | Smart card reader   | ×  |
| Number of SSDs installed                             | 1  | Trusted Platform Module (TPM)                             | ✓  |
| SSD capacity   | 512 GB                                     | Trusted Platform Module (TPM) version                     | 2.0  |
| SSD interface  | PCI Express 4.0                            | Password protection                                       | <b>✓</b>   |
| NVMe   | 1  | Password protection type                                  | BIOS, Power on, Supervisor   |
| SSD form factor                                      | M.2  |   | blog, rower on, supervisor   |
| M.2 SSD size   | 2242 (22 x 42 mm)                          | Operational conditions                                    |  |
| Optical drive type *                                 | X  | Operating temperature (T-T)                               | 5 - 35 °C  |
| Card reader integrated                               | X  | Storage temperature (T-T)                                 | 5 - 43 °C  |
| Graphics   |  | Operating relative humidity (H-H)                         | 8 - 95%<br>5 - 95%   |
| Discrete graphics card model *                       | Not available                              | Storage relative humidity (H-H) Maximum shipping altitude | 3 - 95%<br>3048 m  |
| On-board graphics card *                             | ✓  |   | 55 75 III  |
| On-board GPU manufacturer                            | Intel                                      | Certificates  | D. U.C.  |
| Discrete graphics card *                             | ×  | Compliance certificates                                   | RoHS  ErB Lot 6 ErB Lot 26 TCO Cortified                             |
| On-board graphics card family                        | Intel Graphics                             | Certification   | ErP Lot 6 ErP Lot 26 TCO Certified 9.0 TÜV Rheinland® Low Blue Light |
| On-board graphics card model *                       | Intel Graphics                             |   | (Software Solution)  |
| Audio  |  | Sustainability  |  |
| Audio chip   | Senary SN6141                              | Sustainability certificates                               | TCO, ENERGY STAR, EPEAT Gold   |
| Audio system   | Dolby Atmos                                | Weight & dimensions                                       |  |
| Number of built-in speakers                          | 2  | Width   | 313 mm   |
| Speaker power  | 2 W  | Depth   | 219.3 mm   |
| Built-in microphone                                  | ✓  | Height  | 18.6 mm  |
| Number of microphones                                | 2  | J   | •  |
|  |  |   |  |

| Weight & dimensions   |         |  |
|-----------------------|---------|--|
| Weight *              | 1.42 kg |  |
| Packaging content     |         |  |
| AC adapter included * | ✓       |  |





198153949298

0198153949298

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.