



Canon EOS M200 + EF-M 15-45mm f/3.5-6.3 IS STM MILC 24.1 MP CMOS 6000 x 4000 Pixeles Negro

Marca : Canon Familia de productos: EOS Código del producto: 3699C009

Nombre del producto : EOS M200 + EF-M 15-45mm f/3.5-6.3 IS STM

3" (LCD TFT), 24.1MP (6000 x 4000), 3840 x 2160, DIGIC 8, 22.3 x 14.9 CMOS, EF-M, AF, Micro USB, Wi-Fi, Bluetooth, HDMI D, SD/SDHC/SDXC, 299 g + EF-M 15-45mm f/3.5-6.3 IS STM

Canon EOS M200 + EF-M 15-45mm f/3.5-6.3 IS STM MILC 24.1 MP CMOS 6000 x 4000 Pixeles Negro:

Da un paso hacia delante con respecto a tu smartphone con una cámara mirrorless con objetivos intercambiables ideal para fotografiar a las personas importantes y los momentos especiales de tu vida. La EOS M200 cuenta con un sensor de tamaño APS-C de 24,1 megapíxeles que captura fotos y vídeos 4K con asombrosa claridad y nitidez, incluso con poca luz. La cámara incluye un objetivo zoom estándar EF-M 15-45mm f/3.5-6.3 IS STM ideal para todo tipo de fotografía, desde retratos a paisajes y mucho más. Además, fomenta la creatividad gracias a la interfaz de usuario guiada y nuestro exclusivo modo Creative Assist, que convierte la EOS M200 en una cámara divertida que querrás llevar a todas partes.



Picture quality		Memory	
Camera type *	MILC	Compatible memory cards *	SD, SDHC, SDXC
Megapixel (approx.) *	24.1 MP	Display	
Sensor type *	CMOS	Display *	TFT
Maximum image resolution *	6000 x 4000 pixels	Touchscreen *	✓
Still image resolution(s) *	6000 x 4000, 5328 x 4000, 6000 x 3368, 4000 x 4000, 3984 x 2656, 2976 x 1984, 2400 x 1600, 5328 x 4000, 3552 x 2664, 2656 x 1992, 2112 x 1600, 4000 x 4000, 2656 x 2656, 1984 x 1984, 1600 x 1600	Display diagonal *	7.62 cm (3")
		Display resolution	1040000 dot
		Display aspect ratio	3:2
		Flip-out screen	✓
		Field of view	100%
Image stabilizer *	✓	Ports & interfaces	
Image stabilizer location	Lens	PictBridge *	✓
Supported aspect ratios	3:2	USB connector	Micro-USB
Total megapixels	25.8 MP	HDMI *	✓
Image sensor size (W x H)	22.3 x 14.9 mm	HDMI connector type	Micro
Image formats supported *	JPEG, RAW	Network	
Lens system		Bluetooth *	✓
Focal length range	15 - 45 mm	Bluetooth version	4.1
Minimum focal length (35mm film equiv)	24 mm	Bluetooth Low Energy (BLE)	✓
Maximum focal length (35mm film equiv)	72 mm	Wi-Fi *	✓
Minimum aperture number	6.3	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum aperture number	3.5	Camera	
Lens structure (elements/groups)	10/9	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Manual, Shade, Tungsten
Lens type	Standard zoom	Scene modes *	Landscape, Night portrait, Self-portrait
Filter size	49 mm	Shooting modes *	Auto, Movie
Number of diaphragm blades	7	Photo effects *	Black&White
Lens mount interface	Canon EF-M	Self-timer delay *	2,10 s
Focusing		Playback zoom (max)	15x
Focus adjustment *	Auto/Manual	Histogram	✓
Auto focusing (AF) modes *	Servo Auto Focus, Single Auto Focus	Live view	✓
Auto Focus (AF) points	143		
Auto Focus (AF) points selection	Auto, Manual		
Auto Focus (AF) lock	✓		
Auto Focus (AF) assist beam	✓		

Exposure		Camera	
ISO sensitivity (min) *	100	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian
ISO sensitivity (max) *	25600		
ISO sensitivity	100, 6400, 12800, 25600		
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE		
Light exposure correction *	± 3EV (1/3EV step)		
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Partial, Spot	Camera file system	DPOF 1.1
Auto Exposure (AE) lock	✓	Image quality adjustment	Brightness, Contrast, Saturation
Shutter		Playback modes	Slideshow, Zoom
Fastest camera shutter speed *	1/4000 s	High Dynamic Range (HDR) supported	✓
Slowest camera shutter speed *	30 s	Image processor	DIGIC 8
Camera shutter type	Mechanical	Design	
Flash		Product colour *	Black
Flash modes *	Red-eye reduction	Battery	
Flash exposure lock	✓	Battery technology *	Lithium-Ion (Li-Ion)
Flash guide number	5 m	Battery voltage	7.2 V
Flash recharging time	4 s	Battery life (CIPA standard)	315 shots
Flash sync-speed	1/200 s	Battery capacity	875 mAh
Flash exposure correction	±2EV (1/3 EV step)	Battery type	LP-E12
Video		Number of batteries supported	1
Video recording *	✓	Battery level indicator	✓
Maximum video resolution *	3840 x 2160 pixels	Operational conditions	
HD type *	4K Ultra HD	Operating temperature (T-T)	0 - 40 °C
Video resolutions	1280 x 720, 1920 x 1080, 3840 x 2160	Operating relative humidity (H-H)	0 - 85%
Video recording time	29.9 min	Weight & dimensions	
Resolution at capture speed	1280x720@50fps,	Width	108.2 mm
	1280x720@59.94fps,	Depth	35.1 mm
	1920x1080@25fps,	Height	67.1 mm
	1920x1080@29.97fps,	Weight	299 g
	1920x1080@59.94fps,	Packaging data	
Video formats supported	3840x2160@23.98fps,	Quantity per pack	1 pc(s)
	3840x2160@25fps	Packaging content	
		Neck strap included	✓
		Battery charger included	✓
		Batteries included	✓



0013803318265



013803318265

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.