



MSI PRO B650M-B placa base AMD B650 Enchufe AM5 Micro ATX

Marca : MSI

Código del producto: PRO B650M-B

Nombre del producto : PRO B650M-B

MSI PRO B650M-B. Fabricante de procesador: AMD, Socket de procesador: Enchufe AM5, Procesador compatible: AMD Ryzen 7000 Series. tipos de memoria compatibles: DDR5-SDRAM, Memoria interna máxima: 96 GB, Velocidades de reloj de memoria soportadas: 6800, 6600, 6400, 6200, 6000, 5800, 5600, 5400, 5200, 5000, 4800 MHz. Interfaces de disco de almacenamiento soportados: M.2, SATA, Niveles RAID: 0, 1, 10. Tipo de interfaz ethernet: 2.5 Gigabit Ethernet, Controlador LAN: Realtek RTL8125-BG. Componente para: PC, Factor de forma de la tarjeta madre: Micro ATX, Familia del chipset: AMD



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	HDMI ports quantity *	1
Processor socket *	Socket AM5	HDMI version	2.1
Compatible processor series *	AMD Ryzen 7000 Series	DisplayPorts quantity	1
Supported processor sockets	Socket AM5	DisplayPort version	1.4
Maximum internal memory supported by processor	96 GB	Headphone outputs	1
Memory		Line-in	✓
		Microphone in	✓
Supported memory types *	DDR5-SDRAM	Network	
Number of memory slots *	2	Ethernet LAN	✓
Supported memory clock speeds	6800, 6600, 6400, 6200, 6000, 5800, 5600, 5400, 5200, 5000, 4800 MHz	Ethernet interface type	2.5 Gigabit Ethernet
Supported memory clock speed (max)	6800 MHz	LAN controller	Realtek RTL8125-BG
Maximum internal memory *	96 GB	Wi-Fi *	✗
Storage controllers		Features	
Supported storage drive interfaces *	M.2, SATA	Motherboard chipset *	AMD B650
RAID levels	0, 1, 10	Audio chip	Realtek ALC897
Internal I/O		Audio output channels *	7.1 channels
USB 2.0 connectors *	4	PC health monitoring	Fan
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Component for *	PC
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Motherboard form factor *	micro ATX
Front panel audio connector	✓	Motherboard chipset family *	AMD
Front panel connector	✓	Windows operating systems supported	Windows 11 x64
ATX Power connector (24-pin)	✓	Expansion slots	
CPU fan connector	✓	PCI Express x16 (Gen 3.x) slots	1
Chassis intrusion connector	✓	Number of M.2 (M) slots	1
Rear panel I/O ports		BIOS	
USB 2.0 ports quantity *	2	BIOS type *	UEFI AMI
		BIOS memory size	256 Mbit
		ACPI version	6.4
		System Management BIOS (SMBIOS) version	3.5

Rear panel I/O ports		Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Width	215 mm
Ethernet LAN (RJ-45) ports *	1	Depth	243.8 mm
VGA (D-Sub) ports quantity *	1		



4711377144797

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date