



Canon EOS R100 + RF-S 18-45mm F4.5-6.3 IS STM Kit MILC 24.1 MP CMOS 6000 x 4000 Pixeles Negro

Marca : Canon

Familia de productos: EOS

Código del producto: 6052C012

Nombre del producto : R100  
+ RF-S 18-45mm F4.5-6.3 IS  
STM Kit



Cámara Mirrorless EOS R100 RF-S 18-45mm F4.5-6.3 IS STM  
Canon EOS R100 + RF-S 18-45mm F4.5-6.3 IS STM Kit. Tipo de cámara: MILC, Megapíxeles: 24.1 MP, Tipo de sensor: CMOS, Máxima resolución de imagen: 6000 x 4000 Píxeles. Sensibilidad ISO (máx.): 25600. Intervalo de longitud focal: 18 - 45 mm. Velocidad máxima del obturador: 1/4000 s. Wifi. Tipo HD: 4K Ultra HD, Máxima resolución de video: 3840 x 2160 Píxeles. Diagonal de la pantalla: 7.62 cm (3"). Tipo de visor de imagen: Electrónico. Peso: 309 g. Color del producto: Negro



Picture quality		Display	
Camera type *	MILC	Display *	LCD
Megapixel (approx.) *	24.1 MP	Touchscreen *	✗
Sensor type *	CMOS	Display diagonal *	7.62 cm (3")
Maximum image resolution *	6000 x 4000 pixels	Display diagonal (metric)	7.5 cm
Still image resolution(s) *	6000 x 4000, 3984 x 2656, 2976 x 1984, 2400 x 1600, 5328 x 4000,	Display resolution	1040000 dot
	3552 x 2664, 2656 x 1992, 2112 x 1600, 4000 x 4000, 2656 x 2656,	Display aspect ratio	3:2
	1984 x 1984, 1600 x 1600	Vari-angle LCD display	✗
Image stabilizer *	✗	Viewfinder	
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Viewfinder type	Electronic
Image sensor size (W x H)	22.3 x 14.9 mm	Magnification	0.95x
Sensor format	Advanced Photo System type-C (APS-C)	Viewfinder screen size	0.39"
Image formats supported *	JPEG, RAW	Viewfinder frame rate (power saving mode)	30 fps
Lens system		Viewfinder frame rate (smooth mode)	60 fps
Focal length range	18 - 45 mm	Viewfinder resolution (approx.)	2360000 pixels
Minimum focal length (35mm film equiv)	29 mm	Ports & interfaces	
Maximum focal length (35mm film equiv)	72 mm	USB version *	2.0
Minimum aperture number	32	USB connector	USB Type-C
Maximum aperture number	4.5	HDMI *	✓
Lens structure (elements/groups)	7/7	HDMI connector type	Micro
Lens type	Standard zoom	Microphone in	✓
Filter size	4.9 cm	Headphone connectivity	3.5 mm
Number of diaphragm blades	7	Network	
Lens mount interface	Canon RF	Bluetooth *	✓
Focusing		Bluetooth version	4.2
Focus *	TTL	Bluetooth Low Energy (BLE)	✓

Focusing		Network	
Focus adjustment *	Auto/Manual	Wi-Fi *	✓
Auto focusing (AF) modes *	Continuous Auto Focus, One Shot Focus, Servo Auto Focus	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Auto Focus (AF) object detection	People	Camera	
Face tracking	✓	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Manual, Shade, Tungsten
Auto Focus (AF) lock	✓		Children, Close-up (macro), Food, HDR backlight control, Handheld night scene, Landscape, Panning, Portrait, Silent shutter, Sports
Auto Focus (AF) assist beam	✓	Scene modes *	
Exposure		Self-timer delay *	2,10 s
ISO sensitivity (min) *	100	Dioptré correction	✓
ISO sensitivity (max) *	25600	Histogram	✓
ISO sensitivity	100, 6400, 12800	Live view	✓
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE	Direct printing	✓
Light exposure control	Program AE	GPS (satellite)	✗
Light exposure correction *	± 3EV (1/3EV step)	Orientation sensor	✓
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Partial, Spot	Anti-dust function	✗
Auto Exposure (AE) lock	✓	Smartphone/tablet remote support	✓
Number of measurement zones	384	View on smartphone	✓
Shutter		Tripod mounting supported *	✓
Fastest camera shutter speed *	1/4000 s	Image processor	DIGIC 8
Slowest camera shutter speed *	30 s	Design	
Camera shutter type	Electronic	Product colour *	Black
Flash		Battery	
Flash exposure lock	✓	Battery technology *	Lithium-Ion (Li-Ion)
Flash guide number	6 m	Battery type	LP-E17
External flash connector	✗	Number of batteries supported	1
Flash exposure compensation	✓	Battery level indicator	✓
Flash exposure correction	±3EV (1/3 EV step)	Operational conditions	
Shoe mounting point	✓	Operating temperature (T-T)	0 - 40 °C
Shoe mounting point type	Hot shoe	Weight & dimensions	
Video		Width	116.3 mm
Video recording *	✓	Depth	68.8 mm
Maximum video resolution *	3840 x 2160 pixels	Height	85.5 mm
HD type *	4K Ultra HD	Weight	309 g
Video resolutions	3840 x 2160, 1920 x 1080, 1280 x 720	Weight (including battery)	356 g
Video formats supported	AVC, H.264, MP4, MPEG4	Packaging data	
Audio		Quantity per pack	1 pc(s)
Built-in microphone *	✓	Package width	192 mm
Built-in speaker(s)	✓	Package depth	200 mm
Audio system	stereo	Package height	154 mm
Wind filter	✓	Package weight	1.11 kg
Audio formats supported	LPCM, AAC	Packaging content	
Memory		Neck strap included	✓
Compatible memory cards *	SD, SDHC, SDXC	Battery charger included	✓
Memory slots	1	Batteries included	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JAN-2025. Prints or copies of Information are only valid on the printed Publication date