


BenQ RM7504 pizarrón interactivo 190.5 cm (75") 3840 x 2160 Pixeles Pantalla táctil Negro

Marca: BenQ Código del producto: RM7504

Nombre del producto: RM7504





Display diagonal * 190.5 cm (75") HDMI ports quantity 3 190.5 cm (75") HDMI ports quantity 3 3 190.5 cm (75") HDMI ports quantity 3 3 190.5 cm (75") HDMI ports quantity 3 3 190.5 cm (75") HDMI version 2.0 2.0 190.5 cm (75") HDMI version 2.0 190.5 cm (75") HDMI version 2.0 190.5 cm (75") HDMI version 1.2a 1	Display		Ports & interfaces	
Touch system response time Colour gamut 100% Ergonomics Working area * 1649.7 x 927.9 mm Product colour Black Hardness 9H VESA mounting Panel mounting interface 800 x 400 mm Computer system Operating system installed Android Power Operating system version Built-in processor ARM Cortex A73 + ARM Cortex A53 Processor architecture ARM Cortex A73 + ARM Cortex A53 AC input voltage 100 - 240 V AC input frequency 50 - 60 Hz Maximum internal memory 32 GB Security updates end date 30/10/2026 Built-in speaker(s) * Number of built-in speakers 2 Speaker power 40 W Storage relative humidity (H-H) Storage relative humidity (H-H) 10 - 80% Storage relative humidity (H-H) Storage relative humidity (H-H) Built-in projector * Weight & dimensions Network Height * 1036.8 mm	Display diagonal * Display brightness Display resolution Anti-glare screen HD type Panel type Native aspect ratio Contrast ratio (typical) Contrast ratio (dynamic) Response time Touchscreen * Touch technology Touchscreen type Number of simultaneous	450 cd/m² 3840 x 2160 pixels ✓ 4K Ultra HD IPS 16:9 1200:1 50000:1 8 ms ✓ Multi-touch Capacitive	HDMI ports quantity USB Type-C ports quantity HDMI version HDMI output ports quantity USB Power Delivery (USB PD) USB Power Delivery up to DisplayPort version DisplayPorts quantity Ethernet LAN (RJ-45) ports VGA (D-Sub) ports quantity Line-in Line-out OPS slot	3 2.0 1 65 W 1.2a 1 2 1 7
Working area * 1649,7 x 927.9 mm Product colour Black Hardness 9H VESA mounting Computer system Panel mounting interface 800 x 400 mm Operating system installed Android Power Operating system version 13 Power consumption (typical) 124.7 W Built-in processor	Touch system response time	8 ms	RS-232 ports	
Operating system installed Android Power Operating system version 13 Power consumption (typical) 124.7 W Built-in processor ✓ Power consumption (standby) 0.5 W Processor architecture ARM Cortex A73 + ARM Cortex A53 AC input voltage 100 - 240 V Processor cores 8 AC input frequency 50 - 60 Hz Maximum internal memory 8 GB System requirements User memory 32 GB Security updates end date 30/10/2026 Graphics card Mali-G52 MP8 Deprational conditions Audio Operating temperature (T-T) 0 - 40 °C Number of built-in speakers 2 Storage temperature (T-T) - 0 - 60 °C Speaker power 40 W Storage relative humidity (H-H) 10 - 60 °C Built-in microphone ✓ Weight & dimensions Projector Width * 1717.1 mm Built-in projector * X Depth 87.1 mm Network Height * 1036.8 mm	Working area * Hardness	1649.7 x 927.9 mm	Product colour VESA mounting	✓
User memory Graphics card Mali-G52 MP8 Security updates end date Operational conditions Operating temperature (T-T) Operating relative humidity (H-H) Operating relative hum	Operating system version Built-in processor Processor architecture Processor cores	13 ✓ ARM Cortex A73 + ARM Cortex A53 8	Power consumption (typical) Power consumption (standby) AC input voltage	0.5 W 100 - 240 V
Audio Built-in speaker(s) * Number of built-in speakers Speaker power Built-in microphone Projector Built-in projector * Network Operating temperature (T-T) 0 - 40 °C Operating relative humidity (H-H) 20 - 80% Storage temperature (T-T) -10 - 60 °C Storage relative humidity (H-H) 10 - 80% Weight & dimensions Width * 1717.1 mm Poepth 87.1 mm Height * Network	User memory	32 GB	•	30/10/2026
Built-in speaker(s) * Number of built-in speakers Speaker power 40 W Built-in microphone Projector Built-in projector * Network Pumber of built-in speakers 2 Storage temperature (T-T) -10 - 60 °C Storage relative humidity (H-H) 10 - 80% Weight & dimensions Width * Depth 87.1 mm Height * Network	·		Operational conditions	
Projector Weight & dimensions Built-in projector * X Depth 87.1 mm Network Height * 1036.8 mm	Number of built-in speakers Speaker power	2 40 W	Operating relative humidity (H-H) Storage temperature (T-T)	20 - 80% -10 - 60 °C
Built-in projector * X Depth 87.1 mm Network Height * 1036.8 mm	·			
Wi-Fi ✓ Weight 51.5 kg	Built-in projector * Network		Depth	87.1 mm

Network		Packaging data	
Bluetooth	✓	Package width	1860 mm
Near Field Communication (NFC)	✓	Package depth	185 mm
Ports & interfaces		Package height Package weight	1125 mm 67.6 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5	Quantity per pack	1 pc(s)
Interface module USB 3.2 Gen 1	3	Packaging content	
(3.1 Gen 1) Type-B ports quantity	3	Remote control included	✓
USB 2.0 ports quantity	2		





840046049188

0840046049188

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.