



Canon i-SENSYS MF264dw II Laser A4 1200 x 1200 DPI 28 ppm Wifi

Marca : Canon

Familia de productos: i-SENSYS

Código del producto: 5938C020

Nombre del producto :
MF264dw II



Canon i-SENSYS MF264dw II. Tecnología de impresión: Laser, Impresión: Impresión en blanco y negro, Resolución máxima: 1200 x 1200 DPI. Copiando: Copias en blanco y negro, Resolución máxima de copia: 600 x 600 DPI. Escaneando: Escaneo a color, Resolución óptica de escáner: 600 x 600 DPI. Funciones de doble cara: Copiar, Imprimir. Tamaño máximo de papel ISO A-series: A4. Wifi. Color del producto: Negro

Printing		Paper handling	
Duplex printing mode	Auto	Maximum ISO A-series paper size *	A4
Print resolution black	600 x 600 DPI	Maximum print size	216 x 356 mm
Print technology *	Laser	Paper tray media types *	Plain paper, Postcard, Recycled paper
Printing *	Mono printing	ISO A-series sizes (A0...A9) *	A4, A5, A6
Duplex printing *	✓	ISO B-series sizes (B0...B9)	B5, B6
Maximum resolution *	1200 x 1200 DPI	Non-ISO print media sizes	Executive, Legal, Letter, Statement
Print speed (black, normal quality, A4/US Letter) *	28 ppm	Envelopes sizes	C5, Com-10, DL, Monarch
Print speed (ISO/IEC 24734) mono	28 ipm	Custom media width	76.2 - 127 mm
Duplex print speed (black, normal quality, A4/US Letter)	17.8 ppm	Custom media length	215.9 - 355.6 mm
Warm-up time	15 s	Paper tray media weight	60 - 163 g/m ²
Time to first page (black, normal)	5.2 s	Multi-Purpose Tray media weight	60 - 163 g/m ²
Copying		Ports & interfaces	
Duplex copying *	✓	Direct printing *	✗
Duplex copying mode	Auto	USB port	✓
Copying *	Mono copying	USB connector	USB Type-A
Maximum copy resolution *	600 x 600 DPI	USB 2.0 ports quantity	1
Copy speed (black, normal quality, A4)	28 cpm	Network	
Time to first copy (black, normal)	8.2 s	Wi-Fi *	✓
Maximum number of copies	999 copies	Ethernet LAN *	✓
Copier resize	25 - 400%	Cabling technology	10/100Base-T(X)
N-in-1 copy function	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
N-in-1 copy function (N=)	2, 4	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK, WPA2-TKIP
Scanning		Supported network protocols (IPv4)	WSD-Prin, WSD-Scan, Auto IP, SNMPv3
Scanning *	Colour scanning	Supported network protocols (IPv6)	WSD-Prin, WSD-Scan, Auto IP, SNMPv3
Optical scanning resolution *	600 x 600 DPI	Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service
Scanner type *	Flatbed & ADF scanner	Performance	
Scan to	Cloud, E-mail, Fax, PC, USB	Internal memory *	256 MB
Scan speed (colour)	15 ppm	Built-in processor	✓
Scan speed (black)	20 ppm	Processor frequency	1200 MHz
Image formats supported	JPEG, PNG, TIFF	Sound pressure level (printing)	51 dB
Document formats supported	PDF	Sound power level (printing)	70.7 dB
Input colour depth	24 bit	Design	
Output colour depth	24 bit	Product colour *	Black
Greyscale levels	256	Market positioning *	Business
Scan drivers	ICA, TWAIN, WIA		
Fax			
Duplex faxing	✓		
Faxing *	✗		

Fax		Design	
Fax resolution (black)	200 x 200 DPI	Built-in display *	✓
Modem speed	33.6 Kbit/s	Display	LCD
Fax memory	256 pages	Control type	Buttons, Touch
Speed dialling	✓	Power	
Features		Power consumption (max)	1240 W
Recommended duty cycle	250 - 2500 pages per month	Power consumption (printing)	500 W
Maximum duty cycle *	30000 pages per month	Power consumption (standby)	4.7 W
Duplex functions *	Copy, Print	Power consumption (off)	0.7 W
Number of print cartridges *	1	Energy Star Typical Electricity Consumption (TEC)	0.24 kWh/week
Printing colours *	Black	AC input voltage	220 - 240 V
Page description languages	PCL 5e, PCL 6, UFRII-LT	AC input frequency	50/60 Hz
Printer fonts	PCL	System requirements	
All-In-One-multitasking	✓	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Input & output capacity		Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Total number of input trays *	1		
Total input capacity *	250 sheets	Linux operating systems supported	✓
Total output capacity *	50 sheets		
Multi-Purpose tray	✓	Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Multi-Purpose tray input capacity	1 sheets		
Auto document feeder (ADF)	✓	Operational conditions	
Auto document feeder (ADF) input capacity	35 sheets	Operating relative humidity (H-H)	20 - 80%
Maximum number of input trays	3	Operating temperature (T-T)	10 - 30 °C
Maximum input capacity	300 sheets	Weight & dimensions	
		Width	390 mm
		Depth	405 mm
		Height	375 mm
		Weight	12.9 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	4100 pages



0013803357301



013803357301

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2025. Prints or copies of Information are only valid on the printed Publication date