



Lenovo ThinkStation P3 Tiny Intel® Core™ i7 i7-14700 16 GB DDR5-SDRAM 512 GB SSD NVIDIA T400 Windows 11 Pro Mini PC Estación de trabajo Negro

Marca : Lenovo

Familia de productos:
ThinkStation

Código del producto:
30H1S52200

Nombre del producto : P3
Tiny

- Windows 11 Pro
- Intel Core i7-14700 (33MB Cache)
- NVIDIA T400 (4GB GDDR6)
- 16GB (5600MHz) DDR5-SDRAM (1 x 16) & 512GB SSD
Intel Core i7-14700 (33MB Cache), 16GB DDR5-SDRAM, 512GB SSD, Intel UHD Graphics 770, NVIDIA T400 (4GB GDDR6), LAN, WLAN, Bluetooth, Windows 11 Pro
Lenovo ThinkStation P3 Tiny. Familia de procesador: Intel® Core™ i7, Modelo del procesador: i7-14700. Memoria interna: 16 GB, Tipo de memoria interna: DDR5-SDRAM, Velocidad de memoria del reloj: 5600 MHz. Capacidad total de almacenaje: 512 GB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: Intel UHD Graphics 770, Modelo de adaptador de gráficos discretos: NVIDIA T400. Sistema operativo instalado: Windows 11 Pro. Fuente de alimentación: 300 W. Tipo de chasis: Mini PC. Tipo de producto: Estación de trabajo. Peso: 1.4 kg. Color del producto: Negro



Processor		Network	
Processor manufacturer *	Intel	Wi-Fi *	✓
Processor family *	Intel® Core™ i7	Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
Processor generation	Intel® Core™ i7 (14th gen)	Wi-Fi standards	Wi-Fi 6 (802.11ax)
Processor model *	i7-14700	WLAN controller manufacturer	Intel
Processor cores	20	WLAN controller model	Intel Wi-Fi 6 AX201
Processor threads	28	Antenna type	2x2
Processor boost frequency	5.4 GHz	Bluetooth	✓
Performance cores	8	Bluetooth version	5.1
Efficient cores	12	Ports & interfaces	
Performance-core Max Turbo Frequency	5.3 GHz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Efficient-core Max Turbo Frequency	4.2 GHz	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4
Performance-core base frequency	2.1 GHz	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Efficient-core base frequency	1.5 GHz	HDMI ports quantity *	1
Processor cache	33 MB	HDMI version	2.1
Processor cache type	Smart Cache	DisplayPorts quantity	1
Number of processors installed	1	DisplayPort version	1.4
Processor base power	65 W	Ethernet LAN (RJ-45) ports	1
Maximum turbo power	219 W	Combo headphone/mic port	✓
Memory		Design	
Internal memory *	16 GB	Chassis type *	Mini PC
Maximum internal memory *	64 GB	Colour name	Black
Internal memory type	DDR5-SDRAM	Volume	1 L
Memory layout (slots x size)	1 x 16 GB	Cable lock slot	✓
Memory slots	2x SO-DIMM	Cable lock slot type	Kensington
Memory clock speed	5600 MHz	Product colour *	Black
Non-ECC	✓	Performance	
Memory channels	Dual-channel	Motherboard chipset	Intel Q670
Storage		Audio chip	Realtek ALC256-VB
Total storage capacity *	512 GB	Audio system	High Definition Audio
Storage media *	SSD	Password protection	✓
Optical drive type *	✗	Password protection type	BIOS, HDD, Power on, Supervisor
Number of storage drives installed	1		
Total SSDs capacity	512 GB		
Number of SSDs installed	1		

Storage		Performance	
SSD capacity	512 GB	Trusted Platform Module (TPM)	✓
SSD interface	PCI Express 4.0	Product type *	Workstation
NVMe	✓	Software	
SSD form factor	M.2	Operating system installed *	Windows 11 Pro
M.2 SSD size	2280 (22 x 80 mm)	Operating system language	Spanish
Graphics		Bundled software	Norton Security Deluxe 15-month
Discrete graphics card *	✓	Power	
Discrete GPU manufacturer	NVIDIA	Power supply *	300 W
On-board graphics card *	✓	Power supply input voltage	100 - 240 V
Discrete graphics card model *	NVIDIA T400	Operational conditions	
Discrete graphics card memory	4 GB	Operating temperature (T-T)	10 - 35 °C
Discrete graphics memory type	GDDR6	Storage temperature (T-T)	-40 - 60 °C
Number of discrete graphics cards	1	Operating relative humidity (H-H)	20 - 80%
On-board GPU manufacturer	Intel	Storage relative humidity (H-H)	10 - 90%
On-board graphics card family	Intel® UHD Graphics	Operating altitude	0 - 3048 m
On-board graphics card model *	Intel UHD Graphics 770	Non-operating altitude	0 - 12192 m
Graphics card Mini DisplayPort ports quantity	3	Certificates	
Network		Certification	MIL-STD-810H
Ethernet LAN *	✓	Weight & dimensions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Width *	179 mm
LAN controller	Intel® I219-LM	Depth *	182.9 mm
		Height *	37 mm
		Weight *	1.4 kg
		Packaging content	
		Display included *	✗
		Mouse included	✓
		Mouse connectivity	Wired
		Keyboard included	✓
		Keyboard connectivity	Wired



0198155601491



198155601491

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-FEB-2025. Prints or copies of Information are only valid on the printed Publication date