



Dahua Technology DH-PTZ85448-HNF-PA cámara de vigilancia Bullet (shape) Interior y exterior 2560 x 1440 Pixeles Techo/pared

Marca : Dahua Technology

Código del producto: DH-PTZ85448-HNF-PA

Nombre del producto : DH-PTZ85448-HNF-PA

Dahua Technology DH-PTZ85448-HNF-PA. Colocación compatible: Interior y exterior, Tecnología de conectividad: Alámbrico, Protocolos PTZ: DH-SD, Pelco-P/D. Tipo de montaje: Techo/pared, Color del producto: Gris, Factor de forma: Bullet (shape). Ángulo de rotación: 180°, Ángulo de visión del objetivo, horizontal: 62.36°, Ángulo de visión del objetivo, vertical: 36.55°. Tipo de sensor: CMOS, Tamaño del sensor óptico: 25.4 / 1.8 mm (1 / 1.8"). Zoom óptico: 48x, Zoom digital: 16x, Distancia de detección: 6000 m

Performance		Video	
Placement supported *	Indoor & outdoor	Back Light Compensation (BLC)	✓
Connectivity technology *	Wired	Highlight Compensation (HLC)	✓
PTZ protocols	DH-SD, Pelco-P/D	Digital Wide Dynamic Range (DWDR)	✓
Day/night mode	✓	Region of Interest (ROI) encoding	✓
Design		Audio	
Form factor *	Bullet	Audio input channels	1 channels
Mounting type *	Ceiling/wall	Audio output channels	1 channels
Product colour *	Grey	Signal-to-Noise Ratio (SNR)	55 dB
International Protection (IP) code	IP67	Voice codecs	G.711Mu, G.711a, G.726, PCM
Camera		Network	
Angle of rotation	180°	Ethernet LAN *	✓
Lens viewing angle, horizontal	62.36°	Supported network protocols	HTTP; HTTPS; IPv4; RTSP; UDP; SMTP; NTP; DHCP; DNS; DDNS; IPv6; 802.1x; QoS; FTP; UPnP; ICMP; SNMP; IGMP; RTP; PPPoE; RTMP; TCP
Lens viewing angle, vertical	36.55°	Wi-Fi *	✗
Lens viewing angle, diagonal	69.76°	Bluetooth *	✗
Tilt angle range	-45 - 90°	Number of users	20 user(s)
Pan range	0 - 360°	Streaming method	Multicast
Pan speed	160 °/sec	Storage	
White balance	Auto, Manual, Natural, Outdoor, Street lamp	Compatible memory cards	MicroSD (TransFlash)
Camera shutter speed	1/1 s-1/30,000	Maximum memory card size	512 GB
Number of Privacy masking areas	24	ROM capacity	8000 MB
Image sensor		RAM capacity	2000 MB
Optical sensor size	25.4 / 1.8 mm (1 / 1.8")	Ports & interfaces	
Sensor type *	CMOS	Ethernet LAN (RJ-45) ports	1
Lens system		RS-485 ports	1
Zoom capability	✓	Security	
Optical zoom	48x	Alarm input channels	7
Digital zoom	16x	Alarm output channels	2
Number of lenses *	1	Video motion detection	✓
Detect distance	6000 m	Power	
Observe distance	2381 m	Power source type *	DC
Recognize distance	1200 m	Power consumption	22 mA
Focal length range	6.25 -300	Power consumption (max)	63 W
Identify distance	600 m	Operational conditions	
Night vision		Operating temperature (T-T)	-40 - 70 °C
Night vision *	✓	Operating relative humidity (H-H)	0 - 95%
Night vision distance	400 m		
Video			
Maximum resolution *	2560 x 1440 pixels		
Total megapixels *	4 MP		

Video		Weight & dimensions	
Video formats supported	H.264, H.265	Width	252.2 mm
Video compression formats	H.264H, H.264M, MPEG2	Depth	344.6 mm
Video streaming	✓	Height	499.8 mm
Noise reduction	✓	Weight	15.4 kg
Noise reduction technology	2D noise reduction, 3D noise reduction	Packaging data	
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)	Package weight	23.7 kg
		Packaging content	
		Number of cameras *	1
		Wiper included	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-NOV-2024. Prints or copies of Information are only valid on the printed Publication date