

Epson OmniLink TM-T88VII 180 x 180 DPI Alámbrico Térmico  
Impresora de TPV

Marca : Epson

Código del producto: C31CJ57032

Nombre del producto : OmniLink TM-T88VII

Impresora Térmica de Recibos TM-T88VII

Epson OmniLink TM-T88VII. Tecnología de impresión: Térmico, Tipo: Impresora de TPV, Resolución máxima: 180 x 180 DPI. Grosor de la impresión: 48 - 80 µm, Máximo diámetro del rollo: 8.3 cm, Ancho de papel soportado: 80 mm. Tecnología de conectividad: Alámbrico, Conector USB: USB Type-A / USB Type-B, Conectividad opcional: LAN inalámbrica. Ethernet LAN, velocidad de transferencia de datos: 10,100 Mbit/s. Código de barras incorporado: CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A,..., Nivel de presión sonora (imprimiendo): 52 Db, Nivel de presión sonora (en espera): 52 Db



Printing		Design	
Maximum resolution	180 x 180 DPI	Product colour *	Black
Print speed	500 mm/sec	Power	
Character size	1.41 x 3.39 mm	Power source type *	USB
Printing characters	Text, Graphic, Barcode, 2D barcode	Power consumption	27900 mA
Character sets	ANK	Power consumption (standby)	1400 mA
Print technology *	Thermal	Power consumption (standby)	1.4 W
Type *	POS printer	Operational conditions	
Paper handling		Operating temperature (T-T)	5 - 45 °C
Printing media thickness	48 - 80 µm	Operating relative humidity (H-H)	10 - 90%
Maximum roll diameter	8.3 cm	Storage relative humidity (H-H)	10 - 90%
Supported paper width	80 mm	System requirements	
Media thickness	48 - 80 mm	Pre-installed software	Server Direct Print, ePOS-Device, ePOS-Display, ePOS-Print
Ports & interfaces		Weight & dimensions	
USB port *	✓	Width	145 mm
USB connector	USB Type-A / USB Type-B	Depth	195 mm
Parallel connector	✓	Height	148 mm
Connectivity technology *	Wired	Weight	1.7 kg
Optional connectivity	Wireless LAN	Packaging data	
Network		Quantity per pack	1 pc(s)
Ethernet LAN *	✓	Package width	195 mm
Ethernet LAN data rates	10,100 Mbit/s	Package depth	235 mm
Wi-Fi *	✗	Package height	260 mm
Features		Package weight	2.7 kg
Built-in barcodes *	CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A, UPC-E	Print technology	
		Column capacity	42/56

Features		Logistics data	
Sound pressure level (printing)	52 dB	Pallet weight (UK)	0 g
Sound pressure level (standby)	52 dB	Products per pallet	112 pc(s)
Mean time between failures (MTBF)	360000 h	Pallet gross weight	0 g
Autocutter durability	3 million cuts	Products per pallet (UK)	168 pc(s)
Paper save function	✓	Technical details	
Print head life	200 km	Changeable interface	✓
Mounting position	Horizontal/Vertical	Lifetime	20000000 lines
Wall mountable	✓	Other features	
Built-in sensors details	Paper End Sensor, Paper Near End Sensor, Cover Open Sensor, Receipt paper sensor	Buffer size	4 KB
Certification	CE	Mean cycles between failures (MCBF)	70000000

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JAN-2025. Prints or copies of Information are only valid on the printed Publication date