

GIGABYTE B760M D3HP placa base Intel B760 Express LGA 1700 Micro ATX

Marca : GIGABYTE



Código del producto: B760M D3HP

Nombre del producto : B760M D3HP Placa Base - Procesadores Intel Core de 14ª Generación, VRM de 4+1+1 fases, hasta 5600 MHz DDR5, 2xPCIe 4.0 M.2, LAN GbE, USB 3.2 Gen 1

B760M D3HP Placa Base - Procesadores Intel Core de 14ª Generación, VRM de 4+1+1 fases, hasta 5600 MHz DDR5, 2xPCIe 4.0 M.2, LAN GbE, USB 3.2 Gen 1

GIGABYTE B760M D3HP placa base Intel B760 Express LGA 1700 Micro ATX:

Mejora tu experiencia informática con las reconocidas series de placas base de GIGABYTE: AORUS, AERO y GIGABYTE. Con diseños innovadores y características avanzadas, estas placas ofrecen un rendimiento y confiabilidad excepcionales. Ya seas un jugador, un creador de contenido o un profesional, nuestra serie satisface tus necesidades y garantiza una calidad sin concesiones y tecnología de vanguardia.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	DisplayPorts quantity	1
Processor socket *	LGA 1700	DisplayPort version	1.2
Compatible processor series *	Intel® Celeron®, Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i3 14th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen, Intel Core i5 14th Gen, Intel Core i7 12th Gen, Intel Core i7 13th Gen, Intel Core i7 14th Gen, Intel Core i9 12th Gen, Intel Core i9 13th Gen, Intel Core i9 14th Gen, Intel® Pentium® Gold	Headphone outputs	1
		Line-in	✓
		Microphone in	✓
		Network	
		Ethernet LAN	✓
Supported processor sockets	LGA 1700	Ethernet interface type	Gigabit Ethernet
		LAN controller	Realtek RTL8111H
		Wi-Fi *	✗
Memory		Features	
Supported memory types *	DDR5-SDRAM	Motherboard chipset *	Intel B760 Express
Number of memory slots *	4	Audio output channels *	7.1 channels
Memory slots type	DIMM	Product colour	Brown
Memory channels	Dual-channel	PC health monitoring	Fan, Temperature, Voltage, Water cooling
ECC compatibility	ECC & Non-ECC	Component for *	PC
Supported memory clock speeds	4400,4800,5200,5600 MHz	Motherboard form factor *	micro ATX
Supported memory clock speed (max)	5600 MHz	Motherboard chipset family *	Intel
Maximum internal memory *	256 GB	Power source type	ATX
Unbuffered memory	✓	Windows operating systems supported	Windows 10, Windows 11
Maximum internal memory per slot	64 GB		
Storage controllers		Expansion slots	
Supported storage drive types	HDD & SSD	PCI Express x1 (Gen 3.x) slots	2
Supported storage drive interfaces *	M.2, SATA III	PCI Express x16 (Gen 4.x) slots	1
Number of HDDs supported	4	Number of M.2 (M) slots	2
Number of storage drives supported	6	1st M.2 largest key size	2280
RAID support	✓		

Storage controllers		Expansion slots	
RAID levels	0, 1, 5, 10	1st M.2 highest PCI Express generation	4.0
Graphics		2nd M.2 largest key size	2280
Parallel processing technology support *	Not supported	2nd M.2 highest PCI Express generation	4.0
Maximum resolution	4096 x 2304 pixels	BIOS	
HDCP	✓	BIOS type *	UEFI AMI
DirectX version	12.0	BIOS memory size	128 Mbit
Internal I/O		ACPI version	5.0
USB 2.0 connectors *	2	Clear CMOS jumper	✓
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Desktop Management Interface (DMI) version	2.7
Number of SATA III connectors *	4	System Management BIOS (SMBIOS) version	2.7
S/PDIF out connector	✓	Logistics data	
Front panel audio connector	✓	Products per shipping (inner) case	1 pc(s)
Front panel connector	✓	Battery	
ATX Power connector (24-pin)	✓	Battery weight	3 g
CPU fan connector	✓	Lithium weight per battery	0.07 g
Number of CPU fan connectors	1	Number of battery cells	1
Number of chassis fan connectors	3	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
EPS power connector (8-pin)	✓	Battery type	CR2032
Number of EPS power connectors (8-pin)	1	Packaging data	
TPM connector	✓	Package width	270 mm
Parallel connector	✓	Package depth	268 mm
Serial port headers	1	Package height	68 mm
12V power connector	✓	Package weight	1.21 kg
RGB LED pin header	✓	Weight & dimensions	
Number of RGB LED pin headers	2	Width	244 mm
Rear panel I/O ports		Depth	244 mm
USB 2.0 ports quantity *	2	Height	35 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Packaging content	
Ethernet LAN (RJ-45) ports *	1	Batteries included	✓
PS/2 ports quantity	1	Screws included	✓
VGA (D-Sub) ports quantity *	1	Bundled software	Norton Internet Security
HDMI ports quantity *	1	Other features	
HDMI version	2.1	Weight	720 g
		Technical details	
		Warranty period	3 year(s)



4719331864347

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date