



Canon EOS R8 MILC 24.2 MP CMOS 6000 x 4000 Pixeles Negro

Marca : Canon Familia de productos: EOS Código del producto: 5803C002

Nombre del producto : EOS R8



EOS R8 Cuerpo
Canon EOS R8. Tipo de cámara: MILC, Megapíxeles: 24.2 MP, Tipo de sensor: CMOS, Máxima resolución de imagen: 6000 x 4000 Píxeles. Sensibilidad ISO (máx.): 204800. Velocidad máxima del obturador: 1/16000 s. Wifi. Tipo HD: 4K Ultra HD, Máxima resolución de video: 3840 x 2160 Píxeles. Pantalla táctil. Tipo de visor de imagen: Electrónico. Peso: 414 g. Color del producto: Negro

Picture quality		Viewfinder	
Image sensor aspect ratio	3:2	Viewfinder frame rate (power saving mode)	60 fps
Camera type *	MILC	Viewfinder frame rate (smooth mode)	120 fps
Megapixel (approx.) *	24.2 MP	Viewfinder resolution (approx.)	2360000 pixels
Sensor type *	CMOS	Ports & interfaces	
Sensor cleaning system	Ultrasonic vibration	USB version *	3.2 Gen 2 (3.1 Gen 2)
Maximum image resolution *	6000 x 4000 pixels	USB connector	USB Type-C
Sensor cleaning system name	EOS Integrated Cleaning System	HDMI *	✓
Still image resolution(s) *	6000 x 4000, 3984 x 2656, 2976 x 1984, 2400 x 1600, 5328 x 4000, 3552 x 2664, 2656 x 1992, 2112 x 1600, 4000 x 4000, 2656 x 2656, 1984 x 1984, 1600 x 1600	HDMI connector type	Micro
Image stabilizer *	✗	Microphone in	✓
Supported aspect ratios	1:1, 3:2, 4:3, 16:9	Headphone outputs	1
Image sensor size (W x H)	35.9 x 23.9 mm	Headphone connectivity	3.5 mm
Sensor format	Full-frame	Network	
Built-in low-pass filter	✓	Bluetooth *	✓
Image formats supported *	JPEG, RAW, C-Raw, HEIF	Bluetooth version	4.2
Lens system		Bluetooth Low Energy (BLE)	✓
Lens mount interface	Canon RF	Wi-Fi *	✓
Focusing		Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Focus *	TTL	Camera	
Focus adjustment *	Auto/Manual	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Manual, Shade, Tungsten
Auto focusing (AF) modes *	Continuous Auto Focus, One Shot Focus, Servo Auto Focus	Scene modes *	Children, Close-up (macro), Food, Group photo, HDR backlight control, Handheld night scene, Landscape, Panning, Panorama, Portrait, Self-portrait, Silent shutter, Sports
Auto Focus (AF) object detection	Aircraft, Animal, Bird, Body, CAT, Dog, Eye, Face, Head, Horse, People, Train, Vehicle	Shooting modes *	Aperture priority, Auto, Flexible priority, Manual, Program, Scene, Shutter priority
Face tracking	✓	Self-timer delay *	2,10 s
Auto Focus (AF) lock	✓	Dioptré correction	✓
Auto Focus (AF) assist beam	✓	Dioptré adjustment (D-D)	-4 - 1
Exposure		Histogram	✓
ISO sensitivity (min) *	50	Live view	✓
ISO sensitivity (max) *	204800		

Exposure		Camera	
ISO sensitivity	100, 200, 400, 800, 1600, 3200, 6400, 12800, 25600, 51200, 102400, Auto	Direct printing	✓
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE	GPS (satellite)	✗
Light exposure control	Program AE	Orientation sensor	✓
Light exposure correction *	± 3EV (1/2EV; 1/3EV step)	Anti-dust function	✓
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Spot	Smartphone/tablet remote support	✓
Auto Exposure (AE) lock	✓	View on smartphone	✓
Number of measurement zones	384	Highlight alert	✓
Shutter		Tripod mounting supported *	✓
Fastest camera shutter speed *	1/16000 s	Image processor	DIGIC X
Slowest camera shutter speed *	30 s	Design	
Camera shutter type	Electronic	Product colour *	Black
Flash		Dustproof	✓
Flash exposure lock	✓	Splash proof	✓
External flash connector	✓	Battery	
Flash exposure compensation	✓	Battery technology *	Lithium-Ion (Li-Ion)
Flash exposure correction	±3EV (1/3 EV step)	Battery type	LP-E17
Shoe mounting point	✓	Number of batteries supported	1
Shoe mounting point type	Hot shoe	Battery level indicator	✓
Video		Power	
Video recording *	✓	USB Type-C charging port *	✓
Maximum video resolution *	3840 x 2160 pixels	Required charging power (min) *	7.5 W
HD type *	4K Ultra HD	Required charging power (max) *	7.5 W
Video resolutions	1920 x 1080, 3840 x 2160 pixels	Operational conditions	
Video formats supported	H.264, H.265	Operating temperature (T-T)	0 - 40 °C
Colour sampling	YCbCr4:2:0 8-bit, YCbCr4:2:2 10-bit	Weight & dimensions	
Audio		Width	132.5 mm
Built-in microphone *	✓	Depth	70 mm
Built-in speaker(s)	✓	Height	86.1 mm
Audio system	stereo	Weight	414 g
Wind filter	✓	Weight (including battery)	461 g
Audio formats supported	LPCM, AAC	Packaging data	
Memory		Quantity per pack	1 pc(s)
Compatible memory cards *	SD, SDHC, SDXC	Package width	192 mm
Memory slots	1	Package depth	282 mm
Display		Package height	153 mm
Display *	LCD	Package weight	1.16 kg
Touchscreen *	✓	Packaging content	
Display diagonal (metric)	7.5 cm	Neck strap included	✓
Display resolution	1620000 dot	AC adapter included *	✗
Display aspect ratio	3:2	Battery charger included	✓
Vari-angle LCD display	✓	Batteries included	✓
Viewfinder		Logistics data	
Viewfinder type	Electronic	Products per pallet	72 pc(s)
Magnification	0.7x		
Viewfinder screen size	0.39"		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JAN-2025. Prints or copies of Information are only valid on the printed Publication date