



AOC B2 22B2HM2 monitor de computadora 54.5 cm (21.4") 1920 x 1080 Pixeles Full HD LED Negro

Marca : AOC

Familia de productos: B2

Código del producto:
22B2HM2

Nombre del producto :
22B2HM2

AOC B2 22B2HM2. Diagonal de la pantalla: 54.5 cm (21.4"), Resolución de la pantalla: 1920 x 1080 Pixeles, Tipo HD: Full HD, Tecnología de visualización: LED, Tiempo de respuesta: 4 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. montaje VESA. Color del producto: Negro



Display		Ports & interfaces	
Display diagonal *	54.5 cm (21.4")	VGA (D-Sub) ports quantity	1
Display resolution *	1920 x 1080 pixels	HDMI *	✓
HD type *	Full HD	HDMI ports quantity	1
Native aspect ratio *	16:9	HDMI version	1.4
Display technology *	LED	Headphone out *	✓
Panel type *	VA	Headphone outputs	1
Touchscreen *	✗	Headphone connectivity	3.5 mm
Display brightness (typical)	250 cd/m²	Ergonomics	
Response time *	4 ms	VESA mounting *	✓
Response time measurement type	GTG (Gray to Gray)	Panel mounting interface	100 x 100 mm
Screen shape *	Flat	Wall mountable	✓
Contrast ratio (typical) *	3000:1	Cable lock slot *	✓
Maximum refresh rate *	100 Hz	Cable lock slot type	Kensington
Viewing angle, horizontal	178°	Tilt adjustment	✓
Viewing angle, vertical	178°	Tilt angle range	-5 - 20°
Display number of colours *	16.7 million colours	Power	
Pixel pitch	0.2493 x 0.241 mm	Power consumption (typical) *	16 W
Viewable size, horizontal	47.9 cm	Input current	1.31 A
Viewable size, vertical	26 cm	AC adapter output voltage	19 V
Colour gamut standard	NTSC, sRGB	Power supply type	External
sRGB coverage (typical)	100%	Weight & dimensions	
NTSC coverage (typical)	81%	Width (with stand)	492.2 mm
Performance		Depth (with stand)	162.9 mm
VESA Adaptive Sync support	✓	Height (with stand)	380 mm
Flicker-free technology	✓	Weight (with stand)	2.29 kg
Low Blue Light technology	✓	Width (without stand)	492.2 mm
Multimedia		Depth (without stand)	37.6 mm
Built-in speaker(s) *	✗	Height (without stand)	284.9 mm
Built-in camera *	✗	Weight (without stand)	1.95 kg
Design		Packaging data	
Product colour *	Black	Package width	550 mm
Frameless design	✓		

Ports & interfaces		Packaging data	
Built-in USB hub *	✗	Package depth	120 mm
		Package height	370 mm
		Package weight	3.53 kg
Other features			
Compliance certificates		BSMI, CE, Minimum Energy Performance Standards (MEPS), RCM	

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date