SAMSUNG

Samsung SH37C Diseño de paisaje 94 cm (37") LCD Wifi 700 cd / m² Negro Tizen 7.0 24/7

Marca : Samsung

Nombre del producto : SH37C

Código del producto: LH37SHCEBGBXZA

Samsung SH37C. Diseño de producto: Diseño de paisaje. Diagonal de la pantalla: 94 cm (37"), Tecnología de visualización: LCD, Resolución de la pantalla: 1920 x 540 Pixeles, Brillo de pantalla: 700 cd / m². Wifi. Horas de funcionamiento (horas/días): 24/7. Sistema operativo instalado: Tizen 7.0. Color del producto: Negro

Display	
Panel type	VA
Display diagonal *	94 cm (37")
Display technology *	LCD
Display resolution *	1920 x 540 pixels
Display brightness *	700 cd/m²
Touchscreen *	✗
Native aspect ratio	16:4.5
Response time	8 ms
Contrast ratio (typical)	4000:1
Dynamic contrast ratio marketing name	Mega Contrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.47 x 0.47 mm
Display diagonal (metric)	94 cm
Horizontal scan range	33.6 - 36.6 kHz
Vertical scan range	47 - 63 Hz
Haze rate	28%
Pixel frequency (max)	48 MHz

Ports & interfaces	
HDMI ports quantity *	3
HDMI version	1.4
DVI port *	✗
USB port *	✔
USB ports quantity	2
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✔
RS-232 interface	✔
Remote (IR) input	1
PC Audio out	✔

Design	
Bezel width (bottom)	9.8 mm
Bezel width (side)	7.9 mm
Bezel width (top)	9.8 mm
Anti-glare screen	✔
Mounting type	Wall

Performance	
Purpose *	Universal
Operating hours (hours/days)	24/7
HDCP	✔
HDCP version	2.2

Power	
Power consumption (typical) *	77 W
Power consumption (sleep)	0.5 W
Energy efficiency class (SDR)	G
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G

Computer system	
Internal storage capacity	8 GB
Operating system installed	Tizen 7.0

Weight & dimensions	
Display width	923.3 mm
Display depth	44.8 mm
Display height	277.6 mm
Display weight	6.3 kg

Packaging data	
Package width	1112 mm
Package depth	122 mm
Package height	363 mm
Package weight	8.4 kg

Design

Product design *	Panorama design
Placement supported *	Indoor
Product colour *	Black
VESA mounting *	✔
Panel mounting interface	400 x 200 mm

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Technical details

Sustainability certificates	ENERGY STAR, EPEAT Bronze
Compliance certificates	Electromagnetic Compatibility (EMC)

0887276790411

887276790411