

## DELL Latitude 5440 Intel® Core™ i7 i7-1355U Computadora portátil 35.6 cm (14") Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Español Gris

Marca : DELL

Familia de productos: Latitude Código del producto: K94CK

Nombre del producto : 5440

- Windows 11 Pro 64-bit

- Intel Core i7-1355U (12MB Cache)

- 35.6 cm (14") Full HD 1920 x 1080 IPS

- 16GB (3200MHz) DDR4-SDRAM (2 x 8) & 512GB SSD

Intel Core i7-1355U (12MB Cache), 16GB DDR4-SDRAM, 512GB SSD, 35.6 cm (14") Full HD 1920 x 1080 IPS, Intel Iris Xe Graphics, LAN, WLAN, Webcam, Windows 11 Pro 64-bit

DELL Latitude 5440 Intel® Core™ i7 i7-1355U Computadora portátil 35.6 cm (14") Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Español Gris:

## Lleve el trabajo más cerca suyo

Laptop de 14 pulgadas para un rendimiento escalable e inteligente. Rediseñada con un nuevo panel táctil, pantalla y cámara FHD y procesadores Intel® Core™ de 13.ª generación.

| Design                     |                                      | Ports & interfaces                             |   |
|----------------------------|--------------------------------------|--|---|
| Product type *             | Laptop                               | HDMI version                                   | 2.0   |
| Product colour *           | Grey                                 | Thunderbolt 4 ports quantity                   | 2   |
| Form factor *              | Clamshell                            | Intel® Thunderbolt 4                           | 1   |
| Market positioning         | Business                             | Combo headphone/mic port                       | 1   |
| Display                    |                                      | USB Type-C DisplayPort Alternate               | 1   |
| Display diagonal *         | 35.6 cm (14")                        | Mode   |   |
| Display resolution *       | 1920 x 1080 pixels                   | PowerShare                                     | <ul> <li>Image: A start of the start of</li></ul> |
| Touchscreen *              | ×                                    | Number of USB ports with<br>PowerShare support | 1   |
| HD type<br>Panel type      | Full HD<br>IPS                       | Performance                                    |   |
| LED backlight              | <b>√</b>                             | Ambient light sensor                           | 1   |
| Native aspect ratio        | 16:9                                 | Keyboard                                       |   |
| Anti-glare screen          | 1                                    | Pointing device                                | Touchpad  |
| Display brightness         | 250 cd/m <sup>2</sup>                | Numeric keypad *                               | ×   |
| Pixel pitch                | 0.161 x 0.161 mm                     | Keyboard backlit                               |   |
| Pixel density              | 157 ppi                              | Keyboard number of keys                        | 80  |
| RGB colour space           | NTSC                                 | Keyboard language                              |   |
| Colour gamut               | 45%                                  | ,  | Spanish   |
| Display response rise/fall | 35 ms                                | Software                                       |   |
| Maximum refresh rate       | 60 Hz                                | Operating system architecture                  | 64-bit  |
| Contrast ratio (typical)   | 600:1                                | Operating system language                      | English, Spanish, French, Brazilian-<br>Portuguese  |
| Processor                  |                                      | Trial software                                 | No Microsoft Office License Included  |
| Processor manufacturer *   | Intel                                |  | - 30 day Trial Offer Only   |
| Processor family *         | Intel® Core™ i7                      | Operating system installed *                   | Windows 11 Pro  |
| Processor generation       | 13th gen Intel® Core <sup>™</sup> i7 | Processor special features                     |   |
| Processor model *          | i7-1355U                             | Intel Flex Memory Access                       | 1   |
| Processor cores            | 10                                   | Intel Trusted Execution Technology             | 1   |
| Processor threads          | 12                                   | inter Husten Execution reelhology              | •   |



| Processor   |  | Processor special features   |   |
|---|--|--|---|
| Processor<br>Performance-core Max Turbo   |  |  |   |
| Frequency   | 5 GHz  | Intel VT-x with Extended Page<br>Tables (EPT)  | ✓   |
| Efficient-core Max Turbo Frequency  | 3.7 GHz  | Execute Disable Bit  | <ul> <li>Image: A set of the set of the</li></ul> |
| Processor cache   | 12 MB  | CPU configuration (max)  | 1   |
| Processor cache type  | Smart Cache<br>12 W  | Embedded options available   | ×   |
| Configurable TDP-down Memory  | 12 W   | Intel Virtualization Technology for<br>Directed I/O (VT-d)   | 1   |
| Internal memory *   | 16 GB  | Intel Virtualization Technology (VT-   | 1   |
| Internal memory type  | DDR4-SDRAM   | x)   |   |
| Memory form factor  | SO-DIMM  | Battery  | 2   |
| Memory layout (slots x size)  | 2 x 8 GB   | Number of battery cells<br>Battery capacity *  | 3<br>54 Wh  |
| Memory slots<br>Maximum internal memory *   | 2x SO-DIMM<br>64 GB  | Battery voltage  | 11.4 V  |
| Memory channels   | Dual-channel   | Battery recharge time  | 4 h   |
| Memory data transfer rate   | 3200 MT/s  | Fast charging  | 1   |
| Non-ECC   | 1  | Battery weight   | 220 g   |
| Storage   |  | Power  |   |
| Total storage capacity *  | 512 GB   | AC adapter power   | 65 W  |
| Storage media *   | SSD  | AC adapter frequency   | 50/60 Hz  |
| Total SSDs capacity   | 512 GB   | AC adapter input voltage   | 100 - 240 V   |
| Number of SSDs installed<br>SSD capacity  | 1<br>512 GB  | USB Type-C charging port *<br>USB Power Delivery (USB PD)  | <ul> <li></li> </ul>  |
| SSD interface   | PCI Express  | USB charging voltage   | 20,5,9,15 V   |
| NVMe  |  | Security   |   |
| SSD form factor   | M.2  | Cable lock slot  | 1   |
| SSD performance class   | 35   | Cable lock slot type   | •<br>Wedge  |
| Optical drive type *  | ×  | Trusted Platform Module (TPM)  |   |
| Card reader integrated  | ×  | Trusted Platform Module (TPM)  | 2.0   |
|   |  |  | 2.0   |
| Graphics  |  | version  |   |
| Discrete graphics card model *  | Not available  | version Operational conditions   |   |
| Discrete graphics card model *<br>On-board graphics card *  | <ul> <li>Image: A second s</li></ul> | Operational conditions<br>Operating temperature (T-T)  | 0 - 35 °C   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer   | ✓<br>Intel   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)   | 0 - 35 ℃<br>-40 - 65 ℃  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *   | ✓<br>Intel<br>×  | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)  | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *   | ✓<br>Intel   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)   | 0 - 35 ℃<br>-40 - 65 ℃  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br>Audio  | <ul> <li>Intel</li> <li>X</li> <li>Intel Iris Xe Graphics</li> </ul>   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Storage relative humidity (H-H)   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system   | <ul> <li>Intel</li> <li>Intel Iris Xe Graphics</li> <li>MaxxAudio</li> </ul>   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Storage relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude<br>Operating shock  | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br>Audio  | <ul> <li>Intel</li> <li>X</li> <li>Intel Iris Xe Graphics</li> </ul>   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Storage relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude<br>Operating shock<br>Non-operating shock   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers  | <ul> <li>Intel</li> <li>Intel Iris Xe Graphics</li> <li>MaxxAudio</li> <li>2</li> </ul>  | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Storage relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude<br>Operating shock<br>Non-operating shock<br>Operating vibration  | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone   | <ul> <li>Intel</li> <li>Intel Iris Xe Graphics</li> <li>MaxxAudio</li> <li>2</li> <li>Waves</li> </ul>   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Storage relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude<br>Operating shock<br>Non-operating shock<br>Operating vibration  | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power  | <ul> <li>Intel</li> <li>Intel Iris Xe Graphics</li> <li>MaxxAudio</li> <li>Waves</li> <li>W</li> </ul>   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Storage relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude<br>Operating shock<br>Non-operating shock<br>Operating vibration<br>Non-operating vibration<br><b>Weight &amp; dimensions</b>   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone   | ✓ Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W ✓   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Storage relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude<br>Operating shock<br>Non-operating shock<br>Operating vibration  | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Camera</b><br>Front camera   | ✓ Intel X Intel Iris Xe Graphics MaxxAudio 2 Waves 2 W ✓ 2   | Operational conditions<br>Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Storage relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude<br>Operating shock<br>Non-operating shock<br>Operating vibration<br>Non-operating vibration<br><b>Weight &amp; dimensions</b><br>Width<br>Depth<br>Height (front)   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Eamera</b><br>Front camera resolution (numeric)  | ✓<br>Intel<br>X<br>Intel Iris Xe Graphics<br>MaxxAudio<br>2<br>Waves<br>2 W<br>✓<br>2<br>2   | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeOperating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Camera</b><br>Front camera resolution (numeric)<br>Front camera resolution   | ✓<br>Intel<br>X<br>Intel Iris Xe Graphics<br>MaxxAudio<br>2<br>Waves<br>2 W<br>✓<br>2<br>2<br>V  | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Eamera</b><br>Front camera resolution (numeric)  | ✓<br>Intel<br>X<br>Intel Iris Xe Graphics<br>MaxxAudio<br>2<br>Waves<br>2 W<br>✓<br>2<br>2   | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *Carbon footprint   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm<br>1.39 kg   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Camera</b><br>Front camera resolution (numeric)<br>Front camera resolution<br>Front camera HD type   | ✓<br>Intel<br>X<br>Intel Iris Xe Graphics<br>MaxxAudio<br>2<br>Waves<br>2 W<br>✓<br>2<br>2   | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeOperating altitudeNon-operating altitudeOperating shockNon-operating shockNon-operating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *Carbon footprint (kg of CO2e)  | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Camera</b><br>Front camera resolution (numeric)<br>Front camera HD type<br>Video capturing speed   | ✓ Intel X Intel Iris Xe Graphics MaxxAudio A MaxxAudio A Waves Waves Waves Waves Waves Waves Wather        | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *Carbon footprint   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm<br>1.39 kg   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Eamera</b><br>Front camera resolution (numeric)<br>Front camera resolution (numeric)<br>Front camera HD type<br>Video capturing speed<br>Privacy camera  | ✓ Intel    Intel Iris Xe Graphics   MaxxAudio   MaxxAudio    Varee    Varee  | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeOperating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *Carbon footprint (kg of CO2e)Total carbon emissions, standard<br>deviation (kg of CO2e)Carbon emissions, manufacturing   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm<br>1.39 kg<br>290  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Camera</b><br>Front camera resolution (numeric)<br>Front camera resolution (numeric)<br>Front camera HD type<br>Video capturing speed<br>Privacy camera<br>Privacy type  | <ul> <li>Intel</li> <li>Intel Iris Xe Graphics</li> <li>MaxxAudio</li> <li>Waves</li> <li>W</li> <li>2</li> <li>Vares</li> <li>2 W</li> <li>2</li> <li>Pivacy shutter</li> <li>Wi-Fi 6E (802.11ax)</li> </ul>  | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *Carbon footprint (kg of CO2e)Total carbon emissions, standard<br>deviation (kg of CO2e)Carbon emissions, manufacturing<br>(kg of CO2e)Carbon emissions, logistics (kg of   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm<br>1.39 kg<br>290<br>58  |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Camera</b><br>Front camera resolution (numeric)<br>Front camera resolution (numeric)<br>Front camera HD type<br>Video capturing speed<br>Privacy camera<br>Privacy type<br><b>Network</b>  | ✓<br>Intel<br>X<br>Intel Iris Xe Graphics<br>MaxxAudio<br>2<br>Waves<br>2 W<br>✓<br>2<br>2<br>✓<br>2.07 MP<br>1920 x 1080 pixels<br>Full HD<br>30 fps<br>✓<br>Privacy shutter  | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *Carbon footprint (kg of CO2e)Total carbon nemissions, standard<br>deviation (kg of CO2e)Carbon emissions, manufacturing<br>(kg of CO2e)Carbon emissions, logistics (kg of<br>CO2e)Carbon emissions, energy usage (kg | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm<br>1.39 kg<br>290<br>58<br>241<br>10   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Camera</b><br>Front camera resolution (numeric)<br>Front camera resolution (numeric)<br>Front camera resolution<br>Front camera HD type<br>Video capturing speed<br>Privacy camera<br>Privacy type<br><b>Network</b><br>Top Wi-Fi standard * | <ul> <li>✓</li> <li>Intel</li> <li>×</li> <li>Intel Iris Xe Graphics</li> <li>✓</li> <li>MaxxAudio</li> <li>2</li> <li>Waves</li> <li>2 W</li> <li>✓</li> <li>2</li> <li>✓</li> <li>2.07 MP</li> <li>1920 x 1080 pixels</li> <li>Full HD</li> <li>30 fps</li> <li>✓</li> <li>Privacy shutter</li> <li>✓</li> <li>Wi-Fi 6E (802.11ac), 802.11b, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E</li> </ul>  | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *Carbon footprint (kg of CO2e)Total carbon emissions, standard<br>deviation (kg of CO2e)Carbon emissions, logistics (kg of<br>CO2e)Carbon emissions, energy usage (kg<br>of CO2e)                                     | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm<br>1.39 kg<br>290<br>58<br>241<br>10   |
| Discrete graphics card model *<br>On-board graphics card *<br>On-board GPU manufacturer<br>Discrete graphics card *<br>On-board graphics card model *<br><b>Audio</b><br>Audio system<br>Number of built-in speakers<br>Speakers manufacturer<br>Speaker power<br>Built-in microphone<br>Number of microphones<br><b>Camera</b><br>Front camera resolution (numeric)<br>Front camera resolution (numeric)<br>Front camera HD type<br>Video capturing speed<br>Privacy type<br><b>Network</b><br>Top Wi-Fi standard *  | <pre> / Intel Intel X Intel Iris Xe Graphics  / MaxxAudio 2 Waves 2 W 2 Vaves 2 W 2 Vaves 2 W 2 Vaves 2 W 2 Parate 2 Varate 2 Var</pre> | Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Storage relative humidity (H-H)Operating altitudeNon-operating altitudeOperating shockNon-operating shockOperating vibrationNon-operating vibrationWeight & dimensionsWidthDepthHeight (front)Height (rear)Weight *Carbon footprint (kg of CO2e)Total carbon nemissions, standard<br>deviation (kg of CO2e)Carbon emissions, manufacturing<br>(kg of CO2e)Carbon emissions, logistics (kg of<br>CO2e)Carbon emissions, energy usage (kg | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>321.4 mm<br>212 mm<br>1.91 cm<br>2.1 cm<br>1.39 kg<br>290<br>58<br>241<br>10   |

| Network   |                                       | Carbon footprint  |              |
|---|---------------------------------------|---|--------------|
| WLAN controller manufacturer<br>Ethernet LAN<br>Ethernet LAN data rates | Intel<br>✓<br>10,100,1000 Mbit/s<br>✓ | Total carbon emissions, w/o use<br>phase (kg of CO2e)<br>PAIA version | 253<br>1.3.2 |
| Bluetooth   |                                       | Packaging content<br>Cables included                                  | AC           |
| Ports & interfaces  |                                       | Cables included   | AC           |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *                       | 2                                     |   |              |
| Ethernet LAN (RJ-45) ports<br>HDMI ports quantity *                     | 1<br>1                                |   |              |





884116452706

0884116452706

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.