

## **DELL Latitude 7430 Intel® Core™ i5 i5-1235U Computadora** portátil 35.6 cm (14") Full HD 8 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Negro

Marca: DELL Familia de productos: Código del producto: Latitude

N213L743014EMEA VP

Nombre del producto: 7430

DELL Latitude 7430. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: Intel® Core™ i5, Modelo del procesador: i5-1235U. Diagonal de la pantalla: 35.6 cm (14"), Tipo HD: Full HD, Resolución de la pantalla: 1920 x 1080 Pixeles. Memoria interna: 8 GB, Tipo de memoria interna: DDR4-SDRAM. Capacidad total de almacenaje: 512 GB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: Intel Iris Xe Graphics. Sistema operativo instalado: Windows 11 Pro. Color del producto: Negro. Peso: 1.22 kg





Design		Keyboard	
Product type * Product colour * Form factor *	Laptop Black Clamshell Carbon fibre	Pointing device Numeric keypad * Keyboard backlit	Touchpad × ✓
	Business	Software	
Display Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel density RGB colour space Colour gamut Maximum refresh rate Contrast ratio (typical)	35.6 cm (14") 1920 x 1080 pixels  X Full HD WVA  16:9  250 cd/m² 157 ppi NTSC 45% 60 Hz 500:1	Operating system architecture Operating system language Trial software Operating system installed *  Processor special features Intel Flex Memory Access Intel Trusted Execution Technology Intel VT-x with Extended Page Tables (EPT) Execute Disable Bit CPU configuration (max) Embedded options available Intel Virtualization Technology for Directed I/O (VT-d) Intel Virtualization Technology (VT-x)	64-bit Multilingual Microsoft Office Windows 11 Pro
Processor		Battery	
Processor manufacturer * Processor family * Processor model * Processor cores Processor boost frequency Processor cache Configurable TDP-down	Intel Intel® Core™ i5 i5-1235U 10 4.4 GHz 12 MB 12 W	Battery technology Number of battery cells Battery capacity * Battery voltage Battery recharge time Fast charging Battery charge indicator	Lithium-lon (Li-lon) 4 58 Wh 15.2 V 3 h
Memory		Battery weight	240 g
Internal memory * Internal memory type Memory clock speed Memory form factor Maximum internal memory * Memory channels	8 GB DDR4-SDRAM 3200 MHz On-board 32 GB Dual-channel	Power  AC adapter power  AC adapter frequency  AC adapter input voltage  USB Power Delivery (USB PD)	65 W 50 - 60 Hz 100 - 240 V

Storage		Power	
Total storage capacity *	512 GB	USB charging voltage	20,5,9 V
Storage media *	SSD	USB charging current	3.25 A
Total SSDs capacity	512 GB	Security	
Number of SSDs installed	1	Cable lock slot	<b>✓</b>
SSD capacity	512 GB	Fingerprint reader	<b>✓</b>
SSD interface	NVMe, PCI Express	Smart card reader	·
NVMe	<b>✓</b>		<b>✓</b>
SSD form factor	M.2	Trusted Platform Module (TPM)  Trusted Platform Module (TPM)	•
Optical drive type *	X	version	2.0
Graphics		Password protection	<b>✓</b>
Discrete graphics card model *	Not available	Operational conditions	
On-board graphics card *	✓	Operating temperature (T-T)	0 - 35 °C
On-board GPU manufacturer	Intel	Storage temperature (T-T)	-40 - 65 °C
Discrete graphics card *	×	Operating relative humidity (H-H)	10 - 90%
On-board graphics card model *	Intel Iris Xe Graphics	Storage relative humidity (H-H)	0 - 95%
Audio		Operating altitude	-15.2 - 3048 m
Audio chip	Realtek ALC3281-CG	Non-operating altitude	-15.2 - 10668 m
Number of built-in speakers	2	Operating shock	110 G
Speaker power	2 W	Non-operating shock	160 G
Built-in microphone	<b>✓</b>	Operating vibration	0.66 G
Number of microphones	2	Non-operating vibration	1.3 G
Camera		Weight & dimensions	
Front camera	<b>✓</b>	Width	321.4 mm
		Depth	208.7 mm
Video capturing speed	30 fps	Height (front)	1.73 cm
Network		Height (rear)	1.89 cm
Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)	Weight *	1.22 kg
	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4		
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4	Carbon footprint	200
	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	Total carbon footprint (kg of CO2e)	286
Wi-Fi data rate (max)	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s	•	286 59
Wi-Fi data rate (max) Antenna type	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2	Total carbon footprint (kg of CO2e) Total carbon emissions, standard	59
Wi-Fi data rate (max)	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e)	
Wi-Fi data rate (max) Antenna type WLAN controller model	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of	59
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e)	<ul><li>59</li><li>243</li><li>8</li></ul>
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Ports & interfaces	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e)	<ul><li>59</li><li>243</li><li>8</li></ul>
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e)	<ul><li>59</li><li>243</li><li>8</li></ul>
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	<ul><li>59</li><li>243</li><li>8</li><li>34</li></ul>
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces  USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity *	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e)	<ul><li>59</li><li>243</li><li>8</li><li>34</li><li>1</li></ul>
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version	<ul><li>59</li><li>243</li><li>8</li><li>34</li><li>1</li><li>252</li></ul>
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version	<ul><li>59</li><li>243</li><li>8</li><li>34</li><li>1</li><li>252</li></ul>
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces  USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces  USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode PowerShare	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode PowerShare  Performance	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0 2	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode PowerShare  Performance Electronic compass	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0 2	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode PowerShare  Performance Electronic compass Ambient light sensor Accelerometer	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0 2	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1
Wi-Fi data rate (max) Antenna type WLAN controller model WLAN controller manufacturer Bluetooth  Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode PowerShare  Performance Electronic compass Ambient light sensor	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) 2400 Mbit/s 2x2 Intel Wi-Fi 6E AX211 Intel  1 1 2.0 2	Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version  Packaging content	59 243 8 34 1 252 1.3.1

