

## DELL P2417H LED display 61 cm (24") 1920 x 1080 Pixeles Full HD Negro, Plata

Marca : DELL Código del producto: 210-AIIM

Nombre del producto: P2417H

24" IPS 1920 x 1080, 16:9, 178/178º, 250cd/m2, 4000000:1, 6ms, 3x USB 3.0, 2x USB 2.0, HDMI, DisplayPorts, VGA, 5.89kg

DELL P2417H. Diagonal de la pantalla: 61 cm (24"), Resolución de la pantalla: 1920 x 1080 Pixeles, Tipo HD: Full HD, Tecnología de visualización: LED. Pantalla: LCD. Superficie de la pantalla: Mate, Tiempo de respuesta: 6 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. Concentrador USB integrado, Versión del concentrador USB: 3.2 Gen 1 (3.1 Gen 1). montaje VESA, Ajustes de altura. Color del producto: Negro, Plata





| Display   |  | Ergonomics   |  |
|---|--|--|--|
| Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type *   | ay resolution * 1920 x 1080 pixels  pe * Full HD  a sapect ratio * 16:9  by technology * LED  type * IPS  ascreen * X  by brightness (typical) 250 cd/m²  onse time * 6 ms  by surface Matt  n shape * Flat  orted graphics resolutions 1920 x 1080 (HD 1080)  ast ratio (typical) * 1000:1  ast ratio (dynamic) 4000000:1 | Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range   | 0 - 90°  |
| Touchscreen * Display brightness (typical) Response time * Display surface Screen shape * Supported graphics resolutions Aspect ratio Contrast ratio (typical) * Contrast ratio (dynamic) Viewing angle, horizontal |  | Power  Power consumption (typical) *  Power consumption (standby) *  Power consumption (max)  Power consumption (off)  Power consumption (PowerSave)  AC input voltage  AC input frequency  Input current  Annual energy consumption | 19 W<br>0.3 W<br>39 W<br>0.3 W<br>18.5 W<br>100 - 240 V<br>50 - 60 Hz<br>1.5 A<br>54.1 kWh |
| Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Colour gamut 3D   | 178° 16.78 million colours 0.275 x 0.275 mm 93 ppi 82% ×   | Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude  | 0 - 40 °C<br>-20 - 60 °C<br>10 - 80%<br>5 - 90%<br>0 - 5000 m                              |
| Performance   |  | Non-operating altitude   | 0 - 12191 m  |
| NVIDIA G-SYNC *  Multimedia  Built-in speaker(s) *  Built-in camera *  Design  Market positioning *   | X<br>X<br>X<br>Business  | Weight & dimensions  Width (with stand)  Depth (with stand)  Height (with stand)  Weight (with stand)  Width (without stand)  Depth (without stand)  | 549.8 mm<br>180 mm<br>362.1 mm<br>5.89 kg<br>549.8 mm<br>50.3 mm                           |
| Product colour *  | Black, Silver  | Height (without stand) Weight (without stand)  | 326 mm<br>3.33 kg  |
| Ports & interfaces  USB version  Built-in USB hub *  USB hub version  | 2.0/3.2 Gen 1 (3.1 Gen 1)  ✓ 3.2 Gen 1 (3.1 Gen 1)   | Packaging data Package weight  | 7.63 kg  |

| Ports & interfaces                   |              | Packaging content           |                           |
|--------------------------------------|--------------|-----------------------------|---------------------------|
| USB upstream port type               | USB Type-B   | Stand included              | ✓                         |
| Number of upstream ports             | 1            | Cables included             | AC, DisplayPort, USB, VGA |
| USB Type-A downstream ports quantity | 4            | Quick start guide           | <b>✓</b>                  |
| VGA (D-Sub) ports quantity           | 1            | Sustainability              |                           |
| DVI port                             | ×            | Sustainability certificates | EPEAT Gold, ENERGY STAR   |
| HDMI ports quantity                  | 1            | Other features              |                           |
| DisplayPorts quantity                | 1            | AC adapter included         | <b>✓</b>                  |
| Ergonomics                           |              | Display                     | LCD                       |
| VESA mounting *                      | ✓            | On/off switch               | ✓                         |
| Panel mounting interface             | 100 x 100 mm | TV tuner integrated         | ×                         |
| Cable lock slot *                    | ✓            | Active display area (W x H) | 527.04 x 296.46 mm        |
| Height adjustment *                  | ✓            | Certification               | TCO, CEL, CECP            |
| Adjustable height (max)              | 13 cm        | Thin Client                 |                           |
| Pivot                                | ✓            | Thin client installed       | ×                         |

