



DELL S Series S2421HN LED display 60.5 cm (23.8") 1920 x 1080 Píxeles Full HD LCD Gris

Marca : DELL

Familia de productos: S
Series

Código del producto:
S2421HN



Nombre del producto :
S2421HN

- 60.45cm (23.8") Full HD 1920 x 1080 LED IPS
- 4ms, 16:9, 250cd/m², 1000:1
- HDMI
- 60.45cm (23.8") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.78M, 4ms, 1000:1

DELL S Series S2421HN LED display 60.5 cm (23.8") 1920 x 1080 Píxeles Full HD LCD Gris:

Monitor de 60.45cm (23.8") con un elegante diseño para colocarlo fácilmente en cualquier espacio.
DELL S Series S2421HN. Diagonal de la pantalla: 60.5 cm (23.8"), Resolución de la pantalla: 1920 x 1080 Píxeles, Tipo HD: Full HD, Tecnología de visualización: LCD, Tiempo de respuesta: 4 ms, Relación de aspecto nativa: 16:9, Ángulo de visión, horizontal: 178°, Ángulo de visión, vertical: 178°. montaje VESA.
Color del producto: Gris




Display		Power	
Display diagonal *	60.5 cm (23.8")	Energy efficiency class (SDR) *	D
Display resolution *	1920 x 1080 pixels	Energy consumption (SDR) per 1000 hours *	12 kWh
HD type *	Full HD	Power consumption (typical) *	12.2 W
Native aspect ratio *	16:9	Power consumption (standby) *	0.2 W
Display technology *	LCD	Power consumption (max)	21 W
Panel type *	IPS	Power consumption (off)	0.2 W
Backlight type	LED	AC input voltage	100 - 230 V
Touchscreen *	✗	AC input frequency	50 - 60 Hz
Display brightness (typical)	250 cd/m ²	European Product Registry for Energy Labelling (EPREL) code	349828
Response time *	4 ms	Annual energy consumption	18 kWh
Screen shape *	Flat	Operational conditions	
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Operating temperature (T-T)	0 - 40 °C
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Storage temperature (T-T)	-20 - 60 °C
Aspect ratio	16:9	Operating relative humidity (H-H)	10 - 80%
Contrast ratio (typical) *	1000:1	Storage relative humidity (H-H)	5 - 90%
Maximum refresh rate *	75 Hz	Operating altitude	0 - 5000 m
Viewing angle, horizontal	178°	Non-operating altitude	0 - 12192 m
Viewing angle, vertical	178°	Weight & dimensions	
Display number of colours *	16.7 million colours	Width (with stand)	537.8 mm
Pixel pitch	0.2745 x 0.2745 mm	Depth (with stand)	152.8 mm
Pixel density	92.56 ppi	Height (with stand)	412.8 mm
Horizontal scan range	30 - 83 kHz	Weight (with stand)	3.8 kg
Vertical scan range	48 - 75 Hz	Width (without stand)	537.8 mm
Viewable size, horizontal	52.7 cm	Depth (without stand)	53.8 mm
Viewable size, vertical	29.6 cm	Height (without stand)	322.6 mm
Display diagonal (metric)	60.45 cm	Weight (without stand)	3.3 kg
NTSC coverage (typical)	72%	Bezel width (side)	5.4 mm
		Bezel width (top)	5.4 mm

Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Bezel width (bottom)	2.07 cm
AMD FreeSync *	✓	Packaging data	
AMD FreeSync refresh rate range	48 - 75 Hz	Package width	134.9 mm
Flicker-free technology	✓	Package depth	619 mm
Low Blue Light technology	✓	Package height	395 mm
Multimedia		Packaging content	
Built-in speaker(s) *	✗	Stand included	✓
Built-in camera *	✗	Cables included	AC, HDMI
Design		Sustainability	
Market positioning *	Home	Sustainability certificates	ENERGY STAR
Product colour *	Grey	Carbon footprint	
Front bezel colour	Black	Total carbon footprint (kg of CO2e)	475
Detachable stand	✓	Total carbon emissions, standard deviation (kg of CO2e)	99
Feet colour	Grey	Carbon emissions, manufacturing (kg of CO2e)	324
Ports & interfaces		Carbon emissions, logistics (kg of CO2e)	30
Built-in USB hub *	✗	Carbon emissions, energy usage (kg of CO2e)	119
DVI port	✗	Carbon emissions, end-of-life (kg of CO2e)	2
HDMI *	✓	Total carbon emissions, w/o use phase (kg of CO2e)	356
HDMI ports quantity	2	Other features	
HDMI version	1.4	Heavy metals free	Hg (mercury)
Audio output	✓	Energy efficiency class (old)	A++
HDCP	✓	Compliance certificates	RoHS
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✗		
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		



0884116375517



884116375517

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.