

Logitech MX Brio 705 for Business cámara web 8.5 MP 4096 x 2160 Pixeles USB 3.2 Gen 1 (3.1 Gen 1) Aluminio, Negro

Marca : Logitech

Código del producto: 960-001529

Nombre del producto : MX Brio 705 for Business


Logitech MX Brio 705 for Business. Megapíxeles: 8.5 MP, Máxima resolución de video: 4096 x 2160 Pixeles, Tipo de cámara HD: 4K Ultra HD. Interfaz: USB 3.2 Gen 1 (3.1 Gen 1), Color del producto: Aluminio, Negro, Tipo de montaje: Recortar. Sistemas operativos Windows soportados: Windows 10, Windows 11, Sistemas operativos Mac soportados: Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey,..., Otros sistemas operativos soportados: ChromeOS. Certificados de sustentabilidad: CarbonNeutral, Forest Stewardship Council (FSC). Ancho: 98 mm, Profundidad: 52.2 mm, Altura: 61.6 mm




Performance		Software	
Megapixel (approx.) *	8.5 MP	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Maximum video resolution *	4096 x 2160 pixels	Other operating systems supported	ChromeOS
Maximum frame rate	60 fps		
Camera HD type *	4K Ultra HD	Sustainability	
Auto focus	✓	Sustainability compliance	✓
Zoom capability	✓	Sustainability certificates	CarbonNeutral, Forest Stewardship Council (FSC)
Digital zoom	4x	Weight & dimensions	
Privacy camera	✓	Width	98 mm
Privacy type	Privacy shutter	Depth	52.2 mm
Diagonal field of view	90°	Height	61.6 mm
Field of view modes quantity	3	Weight (with stand)	176 g
Plug and Play	✓	Packaging data	
Design		Quantity	1
Interface *	USB 3.2 Gen 1 (3.1 Gen 1)	Package type	Box
Product colour *	Aluminium, Black	Package width	136 mm
Housing material	Aluminium	Package depth	68 mm
Mounting type *	Clip	Package height	141 mm
Sensor type	CMOS	Package weight	362 g
Lens material	Glass	Packaging content	
Built-in flash *	✗	Cables included	USB Type C
USB powered	✓	Packaging content	MX Brio 705 for Business webcam USB-C 3.0 cable Mount clip with removable mount adapter User documentation
Cable length	1.5 m	System requirements	
LED indicators	✓	Minimum RAM	2000 MB
BeamForming	✓		
Software			
Windows operating systems supported	Windows 10, Windows 11		

Microphone

Built-in microphone *	✓
Number of microphones	2
Microphone pick-up range	1.2 m



0097855184757



097855184757

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-NOV-2024. Prints or copies of Information are only valid on the printed Publication date