



Lenovo ThinkPad T16 AMD Ryzen™ 7 PRO 7840U Computadora portátil 40.6 cm (16") WUXGA 32 GB LPDDR5x-SDRAM 1 TB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Español Negro

Marca : Lenovo

Familia de productos:
ThinkPad

Código del producto:
21K8S0LU00

Nombre del producto : T16

Lenovo ThinkPad T16. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: AMD Ryzen™ 7 PRO, Modelo del procesador: 7840U, Frecuencia del procesador: 3.3 GHz. Diagonal de la pantalla: 40.6 cm (16"), Tipo HD: WUXGA, Resolución de la pantalla: 1920 x 1200 Píxeles. Memoria interna: 32 GB, Tipo de memoria interna: LPDDR5x-SDRAM. Capacidad total de almacenaje: 1 TB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: AMD Radeon 780M. Sistema operativo instalado: Windows 11 Pro. Color del producto: Negro



AMD



AMD

Design		Network	
Colour name	Thunder Black	WLAN controller manufacturer	Qualcomm
Product type *	Laptop	Ethernet LAN	✓
Product colour *	Black	Ethernet LAN data rates	100,1000 Mbit/s
Form factor *	Clamshell	Bluetooth	✓
Housing material	Carbon fibre, Polyphenylene sulfide (PPS)	Bluetooth version	5.3
Display		Near Field Communication (NFC)	✗
		WWAN	Not installed
Display diagonal *	40.6 cm (16")	Ports & interfaces	
Display resolution *	1920 x 1200 pixels		
Touchscreen *	✗	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
HD type	WUXGA	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Panel type	IPS	USB4 Gen 3x2 ports quantity	1
LED backlight	✓	Ethernet LAN (RJ-45) ports	1
Native aspect ratio	16:10	HDMI ports quantity *	1
Anti-glare screen	✓	HDMI version	2.1
Display brightness	300 cd/m ²	Combo headphone/mic port	✓
RGB colour space	NTSC	USB Type-C DisplayPort Alternate Mode	✓
Colour gamut	45%	USB Sleep-and-Charge	✓
Contrast ratio (typical)	800:1	USB Sleep-and-Charge ports	1
Processor		Performance	
Processor manufacturer *	AMD	Motherboard chipset	AMD SoC
Processor family *	AMD Ryzen™ 7 PRO	Keyboard	
Processor generation	AMD Ryzen PRO 7000 Series		
Processor model *	7840U		
Processor cores	8	Pointing device	ThinkPad UltraNav
Processor boost frequency	5.1 GHz	Numeric keypad *	✓
Processor frequency *	3.3 GHz	Keyboard backlit	✗
Processor cache	16 MB		

Processor		Keyboard	
Processor cache type	L3	Spill-resistant keyboard	✓
Memory		Keyboard language	Spanish
Internal memory *	32 GB	Software	
Internal memory type	LPDDR5x-SDRAM	Operating system language	Spanish
Memory clock speed	6400 MHz	Operating system installed *	Windows 11 Pro
Memory form factor	On-board	Battery	
Maximum internal memory *	32 GB	Battery technology	Lithium Polymer (LiPo)
Memory channels	Dual-channel	Battery capacity *	52.5 Wh
Storage		Fast charging	✓
Total storage capacity *	1 TB	Power	
Storage media *	SSD	AC adapter power	65 W
Total SSDs capacity	1 TB	AC adapter frequency	50 - 60 Hz
Number of SSDs installed	1	AC adapter input voltage	100 - 240 V
SSD capacity	1 TB	USB Power Delivery (USB PD)	✓
SSD interface	PCI Express 4.0	Security	
NVMe	✓	Cable lock slot	✓
SSD form factor	M.2	Cable lock slot type	Kensington
Optical drive type *	✗	Fingerprint reader	✓
Card reader integrated	✗	Smart card reader	✗
Graphics		Windows Hello	✓
Discrete graphics card model *	Not available	Trusted Platform Module (TPM)	✓
On-board graphics card *	✓	Trusted Platform Module (TPM) version	2.0
On-board GPU manufacturer	AMD	Password protection	✓
Discrete graphics card *	✗	Password protection type	Power on, SSD, Supervisor
On-board graphics card model *	AMD Radeon 780M	Operational conditions	
Audio		Operating temperature (T-T)	5 - 35 °C
Audio chip	Realtek ALC3287	Storage temperature (T-T)	5 - 43 °C
Audio system	Dolby Audio	Operating relative humidity (H-H)	8 - 95%
Number of built-in speakers	2	Storage relative humidity (H-H)	5 - 95%
Speaker power	2 W	Maximum shipping altitude	3048 m
Built-in microphone	✓	Certificates	
Number of microphones	2	Compliance certificates	RoHS
Camera		Certification	ErP Lot 6/26 MIL-STD-810H
Front camera	✓	Sustainability	
Front camera resolution	1920 x 1080 pixels	Sustainability certificates	TCO
Front camera HD type	Full HD	Weight & dimensions	
Infrared (IR) camera	✓	Width	361.9 mm
Privacy camera	✓	Depth	255.5 mm
Privacy type	Privacy shutter	Height	20.5 mm
Network		Weight *	1.71 kg
Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)		
Wi-Fi standards	Wi-Fi 6E (802.11ax)		
Mobile network connection *	✗		
Antenna type	2x2		
WLAN controller model	Qualcomm NFA725A		



0197530148644



197530148644

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-APR-2025. Prints or copies of Information are only valid on the printed Publication date