



HP LaserJet Impresora M111w

Marca : HP

Familia de productos:
LaserJet

Código del producto: 7MD68A

Nombre del producto :
Impresora HP LaserJet M111w



- Compact Size
 - Estampado
 - Up to 20 ppm
 - Up to 600 x 600 dpi
- LaserJet M111w Printer

HP LaserJet Impresora M111w. Tecnología de impresión: Laser. Número de cartuchos de impresión: 1, Ciclo de trabajo (máximo): 8000 páginas por mes. Resolución máxima: 600 x 600 DPI. Tamaño máximo de papel ISO A-series: A4. Velocidad de impresión (negro, calidad normal, A4/US Carta): 20 ppm. Listo para redes, Wifi. Color del producto: Blanco

Printing		Design	
Print resolution black	600 x 600 DPI	Built-in display *	✗
Colour *	✗	Control type	Buttons
Print technology *	Laser	Certification	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Duplex printing *	✗		
Maximum resolution *	600 x 600 DPI		
Print speed (black, normal quality, A4/US Letter) *	20 ppm		
Warm-up time	20 s		
Time to first page (black, normal)	8.5 s		
Print margins (top, bottom, right, left)	2 mm		
Secure printing	✓		
Features		Power	
Maximum duty cycle *	8000 pages per month	Power consumption (printing) *	361 W
Recommended duty cycle	100 - 1000 pages per month	Power consumption (ready)	3.2 W
Printing colours *	Black	Power consumption (PowerSave)	0.05 W
Number of print cartridges *	1	Power consumption (off)	0.05 W
Page description languages *	URF, PWG, PCLmS	Energy Star Typical Electricity Consumption (TEC)	0.256 kWh/week
Country of origin	Vietnam	AC input voltage	220 - 240 V
HP segment	Small medium business	AC input frequency	50/60 Hz
Input & output capacity		System requirements	
Total number of input trays *	1	Windows operating systems supported	Windows 11, Windows 10
Total input capacity *	150 sheets	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 10.15 Catalina
Total output capacity *	100 sheets	Other operating systems supported	Linux
Paper tray 1 input capacity	150 sheets	Operational conditions	
Maximum number of input trays	1	Operating temperature (T-T)	15 - 32.5 °C
Maximum input capacity	150 sheets	Storage temperature (T-T)	-20 - 60 °C
Maximum output capacity	100 sheets	Operating relative humidity (H-H)	10 - 80%
Paper handling		Sustainability	
Maximum ISO A-series paper size *	A4	Sustainability compliance	✓
Paper tray media types *	Envelopes, Labels, Plain paper, Postcard	Sustainability certificates	Blue Angel, Post-Consumer Recycled Plastic
ISO A-series sizes (A0...A9) *	A4, A5, A6	Weight & dimensions	
ISO C-series sizes (C0...C9)	C5	Width	346 mm
Non-ISO print media sizes	Legal, Letter	Depth	189 mm
Envelopes sizes	C5, DL	Height	159 mm
Custom media width	105 - 216 mm	Weight	3.8 kg

Paper handling		Packaging data	
Custom media length	148 - 355.6 mm	Package width	378 mm
Paper tray media weight	65 - 120 g/m²	Package depth	198 mm
Ports & interfaces		Package height	222 mm
Direct printing *	✓	Package weight	4.8 kg
USB port *	✓	Packaging content	
USB 2.0 ports quantity	1	Cartridge(s) included	✓
Network		Included cartridge capacity (black)	500 pages
Network ready	✓	Warranty card	✓
Wi-Fi *	✓	Cables included	AC
Ethernet LAN *	✗	Brand-specific features	
Wi-Fi Direct	✓	HP Auto-On/Auto-Off	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	HP Dynamic security	✓
Bluetooth	✓	Technical details	
Mobile printing technologies	Apple AirPrint, Mopria Print Service	Master (outer) cases per pallet layer	15 pc(s)
Performance		Other features	
Internal memory *	32 MB	Recommended system requirements	Microsoft® Windows® 11, 10, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge.
Maximum internal memory	32 MB	Recommended humidity operating range	30 - 70%
Built-in processor	✓	Acoustic power emissions (ready)	23 dB
Processor frequency	500 MHz	Acoustic pressure emissions bystander (ready)	16 dB
Sound pressure level (printing)	48 dB		
Design			
Market positioning *	Home & office		
Product colour *	White		



0194850677083



194850677083



0195122067069




195122067069



0194850677120



194850677120



0194850677090



194850677090



0197029688187



197029688187



0197029688194



197029688194



0197029688200



197029688200

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.