

DELL Latitude 5350 Intel Core Ultra 5 135U Computadora portátil 33.7 cm (13.3") Full HD 16 GB LPDDR5x-SDRAM 256 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Gris

Marca : DELL Familia de productos: Código del producto: Latitude AUL53505121Y-ROW

Nombre del producto: 5350

DELL Latitude 5350. Tipo de producto: Computadora portátil, Factor de forma: Concha. Familia de procesador: Intel Core Ultra 5, Modelo del procesador: 135U. Diagonal de la pantalla: 33.7 cm (13.3"), Tipo HD: Full HD, Resolución de la pantalla: 1920 x 1080 Pixeles. Memoria interna: 16 GB, Tipo de memoria interna: LPDDR5x-SDRAM. Capacidad total de almacenaje: 256 GB, Unidad de almacenamiento: SSD. Modelo de gráficos en tarjeta: Intel Graphics. Sistema operativo instalado: Windows 11 Pro. Color del producto: Gris. Peso: 1.23 kg





| Design | | Audio | |
|---|---|--|---|
| Product type * Product colour * Form factor * Market positioning | Laptop Grey Clamshell Business | Speaker power Built-in microphone Number of microphones | 2 W |
| Display Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel density RGB colour space Colour gamut | 33.7 cm (13.3") 1920 x 1080 pixels X Full HD IPS 16:9 250 cd/m² 166 ppi NTSC 45% | Front camera Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera Privacy camera Privacy type Network Top Wi-Fi standard * Wi-Fi standards | ✓ 2.07 MP 1920 x 1080 pixels Full HD 30 fps ✓ ✓ Privacy shutter Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax) |
| Maximum refresh rate Contrast ratio (typical) | 60 Hz 800:1 | Mobile network connection * Antenna type | x 2x2 |
| Processor Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads Processor boost frequency Performance cores | Intel Intel Core Ultra 5 Intel® Core™ Ultra (Series 1) 135U 12 14 4.4 GHz | WLAN controller model WLAN controller manufacturer Ethernet LAN Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * HDMI ports quantity * | Intel Wi-Fi 6E AX211 Intel X 2 1 |

| Processor | | Ports & interfaces | |
|---|------------------------------|--|-----------------------------|
| Efficient cores | 8 | HDMI version | 2.1 |
| Low Power Efficient-cores | 2 | Thunderbolt 4 ports quantity | 2 |
| Performance-core Max Turbo | 4.4 GHz | Intel® Thunderbolt 4 | ✓ |
| Frequency | 3.6.CU= | Combo headphone/mic port | ✓ |
| Efficient-core Max Turbo Frequency Low Power Efficient-core Max Turbo | 3.6 GHz 2.1 GHz | USB Type-C DisplayPort Alternate Mode | ✓ |
| Frequency Performance care base frequency | 1.6 GHz | PowerShare | ✓ |
| Performance-core base frequency Efficient-core base frequency | 1.1 GHz | Number of USB ports with PowerShare support | 1 |
| Low Power Efficient-core Base Frequency | 700 MHz | Keyboard | |
| Processor cache | 12 MB | Pointing device | Touchpad |
| Processor cache type | Smart Cache | Numeric keypad * | × |
| Processor base power | 15 W | Keyboard backlit | 1 |
| Maximum turbo power | 57 W | | |
| Neural processor unit (NPU) | | Software | |
| Neural processor unit (NPU) | Intel Al Boost | Operating system architecture | 64-bit |
| Sparsity support | ✓ | Operating system installed * | Windows 11 Pro |
| Windows Studio effects support | ✓ | Battery | |
| Al software frameworks supported | DirectML, ONNX RT, OpenVINO, | Number of battery cells | 3 |
| by NPU | Windows ML | Battery capacity * | 42 Wh |
| Memory | | Battery voltage | 11.4 V |
| Internal memory * | 16 GB | Battery recharge time | 4 h |
| Internal memory type | LPDDR5x-SDRAM | Fast charging | ✓ |
| Memory form factor | On-board | Battery weight | 190 g |
| Maximum internal memory * | 16 GB | Power | |
| Memory channels | Dual-channel | AC adapter frequency | 50/60 Hz |
| Memory data transfer rate | 6400 MT/s | AC adapter input voltage | 100 - 240 V |
| Storage | | USB Type-C charging port * | 1 |
| _ | 256 GB | USB Power Delivery (USB PD) | / |
| Total storage capacity * Storage media * | SSD | | • |
| Total SSDs capacity | 256 GB | Security | |
| Number of SSDs installed | 1 | Cable lock slot | ✓ |
| SSD capacity | 256 GB | Cable lock slot type | Wedge |
| SSD interface | PCI Express 4.0 | Trusted Platform Module (TPM) | ✓ |
| NVMe | · | Trusted Platform Module (TPM) | 2.0 |
| SSD form factor | M.2 | version | |
| M.2 SSD size | 2230 (22 x 30 mm) | Operational conditions | |
| Optical drive type * | × | Operating temperature (T-T) | 0 - 35 °C |
| Card reader integrated | × | Storage temperature (T-T) | -40 - 65 °C |
| J | | Operating relative humidity (H-H) | 10 - 90% |
| Graphics | | Storage relative humidity (H-H) | 0 - 95% |
| Discrete graphics card model * | Not available | Operating altitude | -15.2 - 3048 m |
| On-board graphics card * | • | Non-operating altitude | -15.2 - 10668 m |
| On-board GPU manufacturer | Intel | Operating shock | 110 G |
| Discrete graphics card * | × | Non-operating shock | 160 G |
| On-board graphics card family | Intel Graphics | Operating vibration | 0.66 G 1.3 G |
| On-board graphics card model * | Intel Graphics | Non-operating vibration | T.3 Q |
| Audio | | Sustainability | |
| Audio system | MaxxAudio | Sustainability certificates | EPEAT Climate +, EPEAT Gold |
| Number of built-in speakers | 2 | Weight & dimensions | |
| Speakers manufacturer | Waves | Width | 305.7 mm |
| | | Depth | 207.5 mm |
| | | Height (front) | 1.68 cm |
| | | Height (rear) | 1.84 cm |
| | | Weight * | 1.23 kg |
| | | Packaging content | |
| | | Cables included | AC |
| | | | |

